



Scuola di Medicina Omeopatica di Verona

Vicolo Dietro Santi Apostoli, 2 – 37121 Verona tel 0458030926 – fax 0458026695 email info@omeopatia.org – www.omeopatia.org

Tesi

“ Morbo di Alzheimer, un approccio omeopatico. Analisi repertoriale e spunti di materia medica ”

Dott. ssa Elisa Pomaro

Relatore

Dott. Federico Allegri

Anno Accademico 2011-2012

“

Morbo di Alzheimer, un approccio omeopatico.

Analisi repertoriale e spunti di materia medica.

INDICE

Premessa

Morbo di Alzheimer

Epidemiologia

Clinica

Decorso

Diagnosi

Terapie

Diagnosi differenziale tra demenze e pseuodemenze

Concetto di salute in omeopatia

La demenza nel repertorio

Estrazione repertoriale

Analisi di alcuni rimedi

Conclusioni

PREMESSA

Questa tesi vuole essere un “piccolissimo bagliore nel panorama assistenziale dei rimedi terapeutici” dell’Alzheimer che possa illuminare, in maniera chiara anche i “non addetti ai lavori”, i vari caregiver. La ragione principale che mi ha spinto ad interessarmi di questa malattia è legata alla mia situazione familiare: mio papà è affetto dall’Alzheimer da più di due anni. Partendo da un interesse personale, ho cominciato a concentrarmi sull’aspetto terapeutico “e non “della malattia. M’interessava approfondire le cure terapeutiche e altri possibili rimedi, come le medicine alternative, di qui il mio principale interesse si è concentrato sull’omeopatia, la mia grande passione. Viviamo in un contesto dove le cure farmaceutiche sembrano le uniche disponibili e quelle di ordine omeopatico sembrano lasciate a pochi eletti o ai caregiver che dispongono di un adeguato budget culturale. Sarebbe interessante finalmente poter sensibilizzare verso l’omeopatia coloro che leggono questa tesi, siano essi dottori o persone con un basso livello d’istruzione.

Capitolo 1

Morbo di Alzheimer

Le demenze sono delle patologie croniche-degenerative del sistema nervoso centrale che sono destinate nel corso dei prossimi 50 anni ad avere un'incremento esponenziale con un conseguente aumento della spesa sanitaria e sociale derivante dalla gestione degli aspetti clinici, terapeutici e gestionali di questi pazienti.

La malattia di Alzheimer è una malattia neurodegenerativa associata ad una progressiva distruzione della funzionalità neuronale con conseguente deterioramento delle funzioni cognitive, delle capacità funzionali e che di conseguenza colpisce anche la sfera comportamentale. È la forma più comune di demenza nell'anziano ne sono affetti più di 30 milioni di persone nel mondo.

La progressione della malattia è lenta, la maggior parte dei pazienti sopravvive circa 8-10 anni dall'esordio dei sintomi. Colpisce prevalentemente il genere femminile (70% dei casi), probabilmente a causa della maggior aspettativa di vita delle donne.

Tab. 1.1 Stadi Clinici della Malattia di Alzheimer

FASE INIZIALE

- ▲ minimo disorientamento temporale
- ▲ difficoltà nel ricordare eventi recenti
- ▲ difficoltà a trovare le parole con relativa conservazione della capacità di

comprendere

- aprassia costruttiva per disegni tridimensionali
- ansia/depressione/negazione di malattia
- difficoltà sul lavoro
- assenza di alterazioni motorie

FASE INTERMEDIA

- disorientamento spazio-temporale
- deficit di memoria di entità moderato-grave interferente con le attività quotidiane
- marcato disturbo del linguaggio (parafasie, anomie, circumlocuzioni, deficit di comprensione)
- aprassia costruttiva
- aprassia ideativa e ideo-motoria, aprassia dell'abbigliamento
- agnosia
- alterazioni comportamentali (deliri, allucinazioni, wandering)
- bradicinesia, segni extrapiramidali
- necessità di essere stimolato alla cura della propria persona

FASE TERMINALE

- completa perdita delle abilità cognitive con difficoltà nel riconoscere volti o luoghi familiari
- perdita del linguaggio fino a gergo semantico o mutismo
- rigidità, bradicinesia, crisi epilettiche, miocloni
- aggressività, wandering
- completa perdita dell'autosufficienza per lavarsi, vestirsi e alimentarsi

▲ ncontinenza sfinterica

La malattia prende il nome da Alois Alzheimer, neurologo tedesco che per la prima volta nel 1907 ne descrisse i sintomi e gli aspetti neuropatologici.

All'esame autoptico, il medico notò segni particolari nel tessuto cerebrale di una donna che era morta in seguito a una insolita malattia mentale.

Infatti, evidenziò la presenza di agglomerati (poi definiti placche amiloidi), e di fasci di fibre aggrovigliate (viluppi neuro-fibrillari); ancora oggi, questi, vengono considerati gli effetti sui tessuti nervosi di una malattia di cui, nonostante i grossi sforzi messi in campo, non si conoscono le cause.

Nei

pazienti affetti da demenza di Alzheimer si osserva una perdita di cellule

nervose nelle aree cerebrali vitali per la memoria e per altre funzioni cognitive. Si riscontra, inoltre, un basso livello di quelle sostanze chimiche, come l'acetilcolina, che lavorano come neurotrasmettitori e sono quindi coinvolte nella comunicazione tra le cellule nervose.

La malattia è dovuta a una diffusa distruzione di neuroni, principalmente attribuita alla betamiloide, una proteina che, depositandosi tra i neuroni, agisce come una sorta di collante, inglobando placche e grovigli "neurofibrillari".

La malattia è accompagnata da una forte diminuzione di acetilcolina nel cervello (si tratta di un neurotrasmettore ovvero di una molecola fondamentale per la comunicazione tra neuroni, e dunque per la memoria e ogni altra facoltà intellettiva).

La conseguenza di queste modificazioni cerebrali è l'impossibilità per il neurone di trasmettere gli impulsi nervosi, e quindi la morte dello stesso, con conseguente atrofia progressiva del cervello nel suo complesso.

A livello neurologico macroscopico, la malattia è caratterizzata da una diminuzione nel peso e nel volume del cervello, dovuta ad atrofia corticale, visibile anche in un allargamento dei solchi e corrispondente appiattimento delle circonvoluzioni.

A livello microscopico e cellulare, sono riscontrabili depauperamento neuronale, placche senili (dette anche *placche amiloidi*), ammassi neurofibrillari, angiopatia congofila (amiloidea).

Definita anche "demenza di Alzheimer", viene appunto catalogata tra le **demenze**, essendo un deterioramento cognitivo cronico progressivo.

Circa le cause etiopatogenetiche, molto si è discusso sul ruolo di una sorta di intossicazione cronica (e/o ipersensibilità) all'alluminio e/o circa l'accumulo

abnorme, nei cervelli dei dementi in generali, e dei sofferenti di Alzheimer in particolare di una proteina chiamata *amiloide*.

La sua ampia e crescente diffusione nella popolazione, la limitata e comunque non risolutiva efficacia delle terapie disponibili, e le enormi risorse necessarie per la sua gestione (sociali, emotive, organizzative ed economiche), che ricadono in gran parte sui familiari dei malati, la rendono una delle patologie a più grave impatto sociale del mondo.

Capitolo 2

Epidemiologia

A livello epidemiologico tranne che in rare forme genetiche familiari "early-onset" (cioè ad esordio giovanile), il fattore maggiormente correlato all'incidenza della patologia è l'età.

Molto rara sotto i 65 anni, la sua incidenza aumenta progressivamente con l'aumentare dell'età, per raggiungere una diffusione significativa nella popolazione oltre gli 85 anni.

L'Alzheimer è la seconda malattia cronica più costosa dovuta ai costi sanitari diretti, a quelli assistenziali ed ai costi indiretti.

L'Alzheimer è la quarta causa di morte tra gli anziani dei paesi occidentali e riduce显著mente la sopravvivenza.

La sopravvivenza dopo la diagnosi dipende sostanzialmente dall'età del Paziente. La sopravvivenza è mediamente di 9 anni per le persone a cui la diagnosi è stata effettuata a 65 anni, è di 3 anni per le persone a cui la diagnosi è stata posta a 90 anni.

Le persone a cui la diagnosi è posta a 65 anni hanno una riduzione della spettanza

di vita attesa di circa il 67%, mentre per le persone di 90 anni la riduzione di spettanza di vita è del 39%.

Capitolo 3

Clinica

La malattia di Alzheimer è una patologia degenerativa del sistema nervoso centrale che porta al decesso in circa 10-12 anni; è caratterizzato da un prevalente ed iniziale deficit di memoria che si accompagna ad un rapido e progressivo deterioramento delle altre funzioni cognitive quali il linguaggio, l'orientamento, le abilità visuospaziali, la capacità di astrazione, funzioni esecutive e la prassia tali da interferire con le normali attività lavorative e/o sociali ed associarsi ad alterazioni comportamentali.

Nelle fasi più avanzate della malattia vi è una perdita delle capacità di lettura, scrittura e denominazione, con una concomitante progressiva perdita della capacità di svolgere le attività della vita quotidiana. Le alterazioni comportamentali, caratterizzate da allucinazioni, deliri di gelosia, aggressività e depressione, si

accompagnano molto spesso ai disturbi cognitivi ed aumentano con il progredire della patologia rappresentando la principale fonte di carico per i caregivers e un'importante causa di istituzionalizzazione.

Nelle fasi terminali della malattia insorgono disturbi dell'attività motoria di tipo extrapiramidale, caratterizzati da una grave e progressiva rigidità.

La malattia (o morbo) di Alzheimer è definibile come un processo degenerativo che pregiudica progressivamente le cellule cerebrali, rendendo a poco a poco l'individuo che ne è affetto incapace di una vita normale e provocandone alla fine la morte.

Nelle prime fasi, il sintomo più comune è l'incapacità di acquisire nuovi ricordi e la difficoltà nel ricordare eventi osservati recentemente.

Con l'avanzare della malattia, il quadro clinico può prevedere confusione, irritabilità e aggressività, sbalzi di umore, difficoltà nel linguaggio, perdita della memoria a lungo termine e progressive disfunzioni sensoriali.

I principali disturbi comportamentali e psicologici delle demenze si distinguono in:

Disturbi dell'umore e dell'affettività (depressione, ansia);

Comportamenti molesti (aggressività verbale e/o fisica; "wandering")

Disturbi psicotici (deliri, allucinazioni);

Disturbi del sonno (alterazioni del ciclo sonno-veglia; "sundowning");

Disturbi dell'attività sessuale (ipersessualità; disinibizione; s. K.-Bucy)

Disturbi del comportamento alimentare (iperfagia; "craving")

Disturbi della personalità' (indifferenza, apatia, disinibizione);

DEPRESSIONE (inversamente correlata alla gravità dell'AD);

ANSIA (libera od associata a fobie, quali l'idrofobia delle fasi avanzate);

AGITAZIONE (correlata con la gravità dell'AD);

AGGRESSIVITÀ (verbale e/o fisica);

COMPORTAMENTO MOTORIO ABERRANTE (affaccendamento afinalistico transitivo od intransitivo);

DELIRI: poco strutturati; generalmente traggono spunto da uno stimolo esterno.

Si tratta di deliri di nocimento, di abbandono, di latrocínio, di persecuzione;

s. Capgras: i familiari rimpiazzati da impostori;
s. di Fregoli: persone conosciute che si ritiene si travestano da "altri";
delirio di intermetamorfosi: persone note che si tramutano fisicamente e psicologicamente in altri soggetti;
delirio di "sosia soggettivo": idea che un proprio sosia agisca in modo indipendente da se';

ALLUCINAZIONI;

ILLUSIONI: "*phantom boarder*": presenza di estranei od animali in casa;

"*picture sign*": la televisione come "vissuto concreto" con cui il Paziente si misura;

DISTURBI DEL SONNO (alterazioni del ritmo sonno-veglia fenomeno);

DISTURBI DELL'ATTIVITA' SESSUALE;

DISTURBI DELL'ALIMENTAZIONE (voracità, iperfagia).

Capitolo 4

Decorso

Il decorso della malattia può essere diverso, nei tempi e nelle modalità sintomatologiche, per ogni singolo paziente; esistono comunque una serie di sintomi comuni, che si trovano frequentemente associati nelle varie fasi con cui, clinicamente, si suddivide per convenzione il decorso della malattia.

Prima fase *ligea*, fa seguito la fase *intermedia*, e quindi la fase *avanzata/severa*; il tempo di permanenza in ciascuna di queste fasi è variabile da soggetto a soggetto, e può in certi casi durare anche diversi anni.

La malattia viene spesso anticipata dal cosiddetto *mild cognitive impairment* (MCI), un leggero calo di prestazioni in diverse funzioni cognitive in particolare legate alla memoria, all'orientamento o alle capacità verbali. Tale calo cognitivo, che è comunque frequente nella popolazione anziana, non è necessariamente indicativo di demenza incipiente, può in alcuni casi essere seguito dall'avvio delle fasi iniziali dell'Alzheimer.

La malattia si manifesta spesso inizialmente come demenza caratterizzata da amnesia progressiva ed altri deficit cognitivi.

Il deficit di memoria è prima circoscritto a sporadici episodi nella vita quotidiana, ovvero disturbi di quella che viene chiamata *on-going memory* (ricordarsi cosa si è mangiato a pranzo, cosa si è fatto durante il giorno) e della *memoria prospettica* (che riguarda l'organizzazione del futuro prossimo, come ricordarsi di andare a un appuntamento); poi man mano il deficit aumenta e la perdita della memoria arriva a colpire anche la *memoria episodica retrograda* (riguardante fatti della propria

vita o eventi pubblici del passato) e la *memoria semantica* (le conoscenze acquisite), mentre la *memoria procedurale* (che riguarda l'esecuzione automatica di azioni) viene relativamente risparmiata fino alle fasi intermedio-avanzate della malattia.

A partire dalle *fasi lievi* e *intermedie*, possono manifestarsi crescenti difficoltà di produzione del linguaggio, con incapacità nella definizione di nomi di persone od oggetti, e frustranti tentativi di "trovare le parole", seguiti poi nelle *fasi più avanzate*, da disorganizzazione nella produzione di frasi ed uso sovente scorretto del linguaggio (confusione sui significati delle parole, etc.).

Sempre nelle *fasi lievi-intermedie*, la pianificazione e gestione di compiti complessi (gestione di documenti, attività lavorative di concetto, gestione del denaro, guida dell'automobile, cucinare, etc.) iniziano a diventare progressivamente più impegnative e difficili, fino a richiedere assistenza continuativa o divenire impossibili.

Nelle *fasi intermedie ed avanzate*, inoltre, possono manifestarsi problematiche comportamentali (vagabondaggio, coazione a ripetere movimenti o azioni, reazioni comportamentali incoerenti) o psichiatriche (confusione, ansia, depressione, ed occasionalmente deliri e allucinazioni).

Il disorientamento nello spazio, nel tempo o nella persona (ovvero la mancata o confusa consapevolezza di dove si è situati nel tempo, nei luoghi e/o nelle identità personali, proprie o di altri - comprese le difficoltà di riconoscimento degli altri significativi) è sintomo frequente a partire dalle fasi intermedie-avanzate. In tali fasi si aggiungono difficoltà progressive anche nella cura della persona (lavarsi, vestirsi, assumere farmaci, etc.) Ben presto si arriva ad "afasia" ed "agrafia" (compromissione della comunicazione parlata e/o scritta).

Il peggioramento delle capacità visuo-spaziali porta il paziente a perdersi (anche nei percorsi abituali come le mura di casa) in quanto, di pari passo a tali difficoltà, si instaura una sorta di mania di viaggiare. La terza fase è caratterizzata dalla completa dipendenza dagli altri.

Incontinenza urinaria e fecale, rigidità degli arti, fino alla totale paralisi, (in genere spastica) e mutismo, riducono il paziente all'immobilità totale, con comparsa di piaghe da decubito.

Psicosi senili e psicogeratria : i cambiamenti mentali negli anziani sono molto comuni, molto inevitabili e molto difficili da trattare. Molto spesso le difficoltà e le infelicità degli anziani sono dovute alla loro mente più che al loro corpo.

Privati di dignità, di responsabilità e di senso di importanza nell'ordine delle cose ne risulta autosvalutazione e autodeterioramento. In questi casi vi sono forti tendenze nell'individuo a ripiegarsi su se stesso, a ridurre il suo coinvolgimento nel mondo che lo circonda, ad abbandonarsi ai ricordi e a vivere sempre più nel passato.

Spesso la sua stessa mancanza di attenzione e di interesse aiuta a spiegare la scarsa memoria per gli avvenimenti recenti e se sente di non essere desiderato è un breve passo dal diventare irritabile e sospettoso dei motivi e dei sentimenti altrui. Questo porta anche a un senso di disperazione, apatia e depressione.

Alzheimer, depressione e sindrome catastrofe nel riferimento alla sintomatologia depressiva, distimica o disforica, si trova, nella malattia di Alzheimer, una dinamica trasformatrice che fa pensare a diverse modalità di reazione di fronte all'impatto sulla coscienza delle disfunzioni causate dalle lesioni neuronali.

In una prima tappa, il soggetto registra l'estranchezza di disturbi, per lo più anamnestici, che interferiscono con le abituali necessità sociali, lavorative e

relazionali. Le reazioni risultano depressive, ma viranti verso lo sconforto, l'impotenza e non verso quell'esperienza di lutto interiore e di "perdita dell'oggetto" che connota l'esperienza depressiva classica.

Lo sconforto genera sensi di vergogna, perdita dell'autostima e una lesione narcisistica che minano la rappresentazione positiva del Sé arrivando a sentimenti di rabbia e di frustrazione.

In una tappa successiva la perdita viene negata, proprio perché la frustrazione genera una tensione interna insopportabile e quindi compaiono modalità adattive più efficaci quali quelle legate alla proiezione. Le espressioni interpretativo-deliranti a carattere persecutorio diventano caratteristiche e dominanti, così che la proiezione della colpa fuori di sé genera risentimento e opposizione ingiustificati. I sentimenti distruttivi che in un primo momento erano rivolti al sé, virano sull'Altro lasciando però una certa capacità di partecipazione sociale sottesa alla rappresentazione di un mondo esterno capace di essere fonte di aiuto, di protezione e di gratificazione.

Una terza fase vede la perdita della rappresentazione degli oggetti interni e si strutturano delle situazioni di anestesia affettiva e di distacco, ben diverse dalle tendenze riparative osservabili nella depressione nevrotica e dall'interazione di impulsi distruttivi, caratteristici della melanconia.

Con il proseguire della malattia, i disturbi psico-mentali investono maggiormente la sfera cognitivo-intellettiva e si accentua l'estranchezza che però comincia ad assumere una valenza catastrofica.

Si osserva anche una consapevolezza di perdita delle potenzialità cognitivo-ragionate che induce un vissuto di grave destrutturazione della propria immagine interiore. Questa percezione catastrofica è sicuramente importante nel

determinismo del significato simbolico della malattia, dal momento che supera le valenze riflessive proprio perché attinge energia nel mondo empatico-istintivo.

Il paradigma che lega la depressione, la sindrome catastrofe e l'Alzheimer che, in ultima analisi, coinvolge l' IO ed il senso di esistere, l'autoidentificazione .

Come si è detto, la malattia di Alzheimer può essere considerata caratterizzata dalla destrutturazione dell' IO e, come catastrofe, dalla perdita dell'identità.

Capitolo 5

Diagnosi

Non esiste un esame specifico per la diagnosi dell'Alzheimer, ma si arriva alla diagnosi dopo un attento esame delle condizioni fisiche e mentali della persona. Il malato probabilmente verrà sottoposto a una visita per valutare i problemi di memoria, linguaggio e attenzione e verranno effettuate analisi delle urine e del sangue per escludere il fatto che la demenza sia dovuta ad altre malattie, valutazioni comportamentali e test cognitivi.

Esistono inoltre alcune analisi di laboratorio capaci di tenere sotto controllo l'attività

Risonanza magnetica: permette di ottenere un'immagine particolareggiata della struttura del cervello. Sovrapponendola ad una ottenuta a diversi mesi di distanza mostra i cambiamenti nella struttura dell'encefalo.cerebrale:

TAC: misura lo spessore di una determinata parte del cervello che si assottiglia negli ammalati di Alzheimer

SPECT: misura il flusso del sangue nel cervello, che nei malati di Alzheimer è minore rispetto ai soggetti sani

PET: può evidenziare cambiamenti nel funzionamento del cervello del malato di Alzheimer.

Capitolo 6

Terapie

Attualmente i trattamenti terapeutici allopatici utilizzati offrono piccoli benefici sintomatici, e possono parzialmente rallentare il decorso della patologia; non sono ancora stati identificati trattamenti che ne arrestino o invertano il decorso.

Alcuni farmaci consentono di rallentarne il decorso, intervenendo su alcune sostanze presenti nel corpo, i neurotrasmettitori, che hanno la funzione di veicolare le informazioni fra le cellule componenti il sistema nervoso (neuroni).

Una linea di ricerca riguarda i farmaci che aumentano la quantità di acetilcolina, un neurotrasmettore che diminuisce con l'Alzheimer.

Un'altra prevede il ricorso alla Memantina, un farmaco che consente di ottenere una moderata riduzione del deterioramento cognitivo.

A livello preventivo, sono state proposte diverse modificazioni degli stili di vita personali come potenziali fattori protettivi nei confronti della patologia, ma non vi sono adeguate prove di una correlazione certa tra queste raccomandazioni e la riduzione effettiva della degenerazione

Parallelamente, si cerca di intervenire sui pazienti con interventi comportamentali, di supporto psico-sociale e di training cognitivo (allenamento della mente), con medicine alternative (**omeopatia** ecc), musicoterapia ed arteterapia.

Positivo sembra essere anche l'effetto di una moderata attività fisica e motoria - soprattutto nelle fasi intermedie della malattia - sul tono dell'umore, sul benessere fisico e sulla regolarizzazione dei disturbi comportamentali, del sonno e alimentari.

Fondamentale è inoltre la preparazione ed il supporto, informativo e psicologico, rivolto ai parenti e al personale assistenziale del paziente ("caregivers"), che sono sottoposti a stress fisici ed emotivi significativi, in particolare con l'evoluzione della malattia.

Capitolo 7

Demenza e pseudodemenza negli anziani "diagnosi differenziali"

La depressione e la demenza hanno un'elevata prevalenza nella popolazione geriatrica e sono causa di grave disabilità.

Nel paziente anziano tali patologie possono manifestarsi con sintomi d'esordio sovrapponibili.

Infatti, la depressione nel paziente anziano si può manifestare con un deterioramento cognitivo, così come la demenza può presentarsi all'esordio con sintomi depressivi. Pertanto la loro diagnosi differenziale rappresenta una delle maggiori sfide della psicogeratria.

Demenza è il termine applicato a quelle malattie dove vengono compromesse la memoria ed le altre funzioni mentali più elevate; tra queste condizioni patologiche la più nota è la malattia del Alzheimer.

Pseudo-demenza è il nome dato dai medici ad un tipo di depressione che appare superficialmente come un problema della memoria, che è relativamente comune negli anziani e che può essere confusa con una demenza, la memoria dei pazienti sembra essere influenzata, ma un esame più attento rivelerà che i pazienti sono semplicemente disattenti a ciò che accade loro intorno e quindi incapaci di trattenere le nuove informazioni sotto forma di nuove memorie.

Inoltre essi sono perfettamente in grado di dire quando ha avuto inizio il loro problema e sono consapevoli del fatto che la loro memoria è alterata.

La loro lentezza ed apatia sono simili agli effetti di una demenza. Tuttavia, sono

solitamente presenti altri segni e sintomi che orientano la diagnosi nel senso di una depressione.

L'importanza è che la depressione, in questo gruppo d'età, diversamente dalla demenza, può essere trattata generalmente con successo se riconosciuta.

Con questo lavoro abbiamo cercato di valutare il trattamento omeopatico di questa patologia partendo dal presupposto che il miglior risultato si ottiene con il rimedio indicato dalla totalità dei sintomi dei singoli pazienti, seguendo il principio omeopatico "cura il paziente e non la malattia", tenendo conto che i cambiamenti mentali negli anziani sono molto comuni, molto inevitabili e molto difficili da trattare. Molto spesso le difficoltà e le infelicità degli anziani sono dovute alla loro mente più che al loro corpo.

La tesi è composta di una parte introduttiva di tipo contenutistico e di una seconda parte di ricerca repertoriale.

DEMENZA	PSEUDODEMENZA
Insorgenza insidiosa	Insorgenza "acuta"
Progressione lenta	Progressione rapida
Non consapevolezza	Consapevolezza
Confabulazioni	Disturbi aspecifici della memoria
Mancanza di risposte	Risposte generiche "non so"
Peggioramenti notturni	Nessuna variazione notturna
Umore "inadeguato"	Umore depresso
Scarsi sintomi vegetativi	Frequenti sintomi vegetativi
rischio suicidario basso	Rischio suicidario alto

Capitolo 8

Concetto di salute in omeopatia

La medicina alopatica pone l'accento sulla malattia più' che sulla salute occupandosi dei componenti chimici e strutturali del corpo fisico.

La medicina omeopatica, invece, si occupa solo in parte del corpo, investigando più'

sulla salute e sulla totalità dell'essere umano piuttosto che alla malattia.

Per Vithoulkas "la salute è la libertà dal dolore sul piano fisico corporeo, avendo come risultato uno stato di benessere.

Sempre secondo Vithoulkas esiste una gerarchia nella costruzione dell'essere umano, per comprendere il grado di salute o malattia di un uomo ci sono tre livelli che sono:

Mentale/Spirituale Emozionale/Psichico Fisico

Tra questi tre livelli esiste una completa interazione

Il piano mentale è il livello più centrale, il più alto nella gerarchia, è a questo livello che troviamo le funzioni più importanti per la realizzazione dell'uomo. Il piano mentale di un individuo è quello che registra le variazioni nella comprensione o consapevolezza. Esistono individui con profonde menomazioni sul piano fisico che però riescono a condurre una vita serena, tuttavia se c'è un disturbo sul piano mentale è l'esistenza profonda della persona che viene minacciata, questo è chiaro in soggetti affetti da psicosi, demenza, disturbi antisociali tutte patologie in cui lo stato mentale è alterato in modo estremo

Il livello emozionale è quello per importanza più vicino a quello mentale.

Comprende tutte le sfumature e i gradi delle emozioni.

A questo livello gioca un ruolo molto importante l'educazione, se l'educazione fosse sostenuta e migliorata, il risultato secondo Vithoulkas sarebbe quello di avere individui maturi ed equilibrati a livello emozionale e, pertanto, molto meno suscettibili ad ammalarsi a questo livello.

Il livello fisico è quello più conosciuto, ma in omeopatia è quello che riveste minor importanza per la conoscenza dei livelli di salute dell'individuo. Anche il corpo fisico presenta una scala gerarchica di importanza riguardo ai suoi organi e alle loro funzioni.

Cenni sull'approccio al malato cronico

Nella nostra società le malattie croniche sono in costante aumento. Anche in campo geriatrico probabilmente dovuto anche all'aumento dell'età media.

L'approccio omeopatico a tali malattie necessita di una profonda conoscenza della Materia Medica per poter individualizzare il più possibile la cura.

In tali casi la legge della similitudine va applicata tenendo presente non solo il quadro clinico che il paziente presenta al momento della visita ma anche:

le variazioni che nel tempo tali sintomi hanno subito
le eventuali ulteriori tendenze patologiche del paziente
l'anamnesi familiare

Capitolo 9

La demenza nel repertorio

In questo caso si è cercato di individuare delle aree tematiche peculiari per la demenza senile con particolare riferimento al morbo di Alzheimer, così da permetterci di provare a riordinare i sintomi dei pazienti utilizzando un linguaggio traducibile nel repertorio.

Essendo molto vasto, però, il gruppo di sintomi della demenza senile abbiamo scelto di individuare solo alcune grandi aree tematiche, per noi altamente specifiche. Una volta individuate, abbiamo poi svolto una ricerca repertoriale per ogni singolo sintomo; l'estrazione repertoriale ci ha poi permesso di fare alcune riflessioni sui rimedi emersi. Ci siamo soffermati infine sull'osservazione di quali rimedi, sia policresti che piccoli rimedi fossero più presenti in questo tipo di problematica.

Capitolo 10

Estrazione repertoriale

Repertorizzazione dal Complete 4.5 sul tema generale della demenza

DEMENZA.

MIND; DEMENTIA (73) : acon.Boer, aesc-g.Boer, aeth.Phat, 2agar.Boer, agn.Boer, alco.Alle, 2anac.Boe, ant-c.Hahn, ap-g.Boer, apisin.Boer, arg.Juli, arg-n.Boer, Oars.Gall, aur.Boe, aur-i.Boer, aza.Juli, bapt.Boe, bar-acet.Boer, bar-c.Boe, 2bell.Boe, Obry.Gall, calc.Boer, calc-p.Boer, cann-i.Boer, carbn-s.Alle, cimic.Boer, cocaAlle, con.Boe, croc.Alle, crot-h.Kne, cupr.Boer, cupr-acet.Boer, ferr-i.Kne, fl-ac.Boer, glyc.Anshu, hell.Boer, 2hyos.Boer, Oign.Gall, iod.Boer, iodof.Boer, kali-i.Alle, lach.Boe, laur.Boer, 2lil-t.Clar, lyc.Boer, merc.Boer, nat-i.Boer, Onat-m.Gall, 2nat-sal.Boer, nit-ac.Boer, 2nux-v.Boe, oena.Boer, Oop.Gall, orch.Clar, ov.Boer, 2ph-ac.Boer, 2phos.Boe, 2pic-ac.Boer, Oplb.Gall, Opuls.Gall, sec.Boe, Osep.Gall, sil.Boer, sol-c.Boer, stram.Clar, Osulph.Gall, sumb.Bog, tarent.Alle, thiosin.Boer, 2verat.Boer, verat-v.Boer, vip.Clar, zinc.Boer

MIND; DEMENTIA; old people, in (40) : aeth.Phat, 2agn.Boer, 2anac.Boe, ant-c.Boe, arg.Juli, 2arg-n.Boer, ars.Boer, 2aur.Boe, 2aur-i.Boer, aza.Juli, 2bapt.Boe, bar-acet.Boer, **3Bar-c**.Boe, Obell.Gall, Obry.Gall, calc-p.Boer, cann-i.Boer, cocaAlle, **3Con**.Boe, 2crot-h.Kne, fl-ac.Boer, glyc.Anshu, Oign.Gall, iod.Boer, 2lach.Boe, lil-t.Clar, 2lyc.Boer, nat-i.Boer, Onat-m.Gall, 0nux-v.Gall, Oop.Gall, orch.Clar, 2ov.Boer, 2phos.Boe, Oplb.Gall, Opuls.Gall, sec.Boe, Osep.Gall, Osulph.Gall, thiosin.Boer

MIND; DEMENTIA; paretic (16) : 2acon.Boer, 2aesc-q.Boer, 2agar.Boer, bell.Boer, cann-i.Boer, cimic.Boer, cupr.Boer, hyos.Boer, ign.Boer, iodof.Boer, merc.Boer, 2phos.Boer, 2plb.Boer, stram.Boer, verat-v.Boer, zinc.Boer

MIND; DEMENTIA; sadness, with (1) : tarent.Ken

MIND; ANSWER, answering, answers; abruptly, shortly, curtly; incomplete but correct, in imbecility (1) : 2anac.Kne

MIND; DULLNESS, sluggishness, difficulty of thinking and comprehending; imbecility, to (1) : 2lyc.Kne

MIND; IMBECILITY (146) : absin.Boer, acon., agar., agn.Boe, 2ail.Boe, alco.Alle, **3Aloe**, 2alum., alum-p.Ken, alum-sil.Ken, 2am-c., **3Ambr**., **3Anac**., anac-oc.Kne, anil.Alle, ant-c., ant-t., apis, arg.Ken, 2arg-n., arn.Boe, 2ars., ars-s-f.Ken, art-v.Kne, asar., 2aur., aur-ar.Ken, aur-s.Ken, bac.Boer, 2bapt.Boe, **3Bar-c**., **3Bar-m**., bar-s.Ken, **3Bell**., bov., brom.Stau, **3Bufo**, **3Bufo-s**., calad.Ken, 2calc.Kne, calc-p., calc-s., calc-sil.Ken, camph., 2cann-s., 2caps., carb-an., carb-v., carbn-o.Alle, **3Carbn-s**., carc.Mick, 2caust., cham., 2chel., chin., chlol., chlor.Alle, 2cocc., **3Con**., croc., 2crot-h., cupr., cycl., dig., 2dios., dros.Boe, dulc., 2fl-ac., gels.Boe, 2hell., hep.Schm, hydr-

ac.Boe, Ohyos.Gall, 2ign., iod.Boer, kali-bi.Alle, 2kali-br., kali-c., kali-chl.Ken, 2kali-p., kali-sil.Ken, 3Lach., 2laur., lol.Hahn, 3Lyc., mang.Jahr, 2med., meli., 2merc., 2merc-c., mez., mosch., mur-ac., nat-ar., 2nat-c., nat-i.Stau, 2nat-m., 2nat-p., nat-sil.Ken, nit-ac., 3Nux-m., 3Nux-v., olnd., 3Op., 2oxyt., 2par., 2petr., 3Ph-ac., 2phos.Kne, 3Pic-ac., 2plat., 2plb., 2puls., ran-b., rheum, 2rhus-t., ruta, 2sabad., 2sabin., sars.Ken, sec., sel., seneg., 2sep., 3Sil., sol-n.Jahr, 2spig., spong., stann., 2staph., Ostram.Gall, stry.Alle, sul-ac., 3Sulph., 2syph.Schm, tarent.Alle, tax.Alle, 2ther., thuj., 2thyr.Boer, 3Verat., verb.Ken, viol-o., viol-t.Boe, zinc., zinc-p.Ken

MIND; IMBECILITY; aphasia, with (1) : 2anac-oc.Kne

MIND; IMBECILITY; negativism (2) : hell.Schm, ign.Schm

MIND; IMBECILITY; old rags are as fine as silk (1) : 3Sulph.

MIND; WILL; loss of; paralysis with imbecility, in (2) : 2anac-oc.Kne, nit-ac.Kne

MIND; ABSENT-MINDEDNESS; old people, in (5) : am-c., ambr.Vith, bar-c.Vith, 2con.Stau, 2lyc.Stau

MIND; CONFUSION of mind; old people, in (4) : arg.Vith, arg-n.Vith, 2bar-c.Stau, 2con.Stau

MIND; DULLNESS, sluggishness, difficulty of thinking and comprehending; morning; old people (1) : 2ambr.Kne

MIND; DULLNESS, sluggishness, difficulty of thinking and comprehending; old people (5) : 3Ambr., 3Bar-c., 2con.Stau, 2lyc.Stau, 3Plb.Geuk

MIND; INSANITY, madness; old people, in (9) : anac.Boer, 2aur-i.Boer, bar-acet.Boer, 2bar-c.Boer, calc-p.Boer, con.Boer, nat-i.Boer, 2phos.Boer, sec.Boer

MIND; PROSTRATION of mind, mental exhaustion, brain fag; old people, in (1) : 3Bar-c.Kne

MIND; REFLECTING; unable to reflect; old people, in (1) : 2ambr.Kne

MIND; UNCONSCIOUSNESS, coma; old people, in (1) : 2bar-c.Kne

MIND; WORK; impossible; old people, in (1) : 2ambr.Kne

MIND; IDIOCY (60) : absin., 2aeth.Her, agar., alum.Boe, 2ambr.Boe, anac., anan., ant-c.Alle, OapisGall, ars.Boe, bac.Burn, 2bar-c., 2bar-m., bell., bell-p.Schm, bor.Schm, bufo, 2calc-p., caps., carbn-o.Alle, 2carbn-s., carc.Foub, caust.1058, cent., cham., chlol., cic.Boe, 2hell., helo.Clar, hyos., 3Ign.Boe, kali-br.Alle, lac-c.Schm, 2lach., 3Laur.Boe, lyc.Boe, med.Schm, merc., mez.Alle, morg.Pater, mosch.Boe, nux-m., olnd.Boe, op.Kne, orig.Kne, ph-ac.Stau, 2phos.Kne, plb., sanic.Bog, sarr., 3Sec., stram.Boe, stry.Alle, sulph.Boe, tab., thuj.Boe, thyr.Anshu, 2tub., verat.Boe, zinc.Ken

MIND; IDIOCY; alcohol, from (1) : 2phos.Kne MIND; IDEAS; deficiency of (107) : acet-ac., 2acon., agn., all-s.Kne, alum., alum-p.Boe, alum-sil.Boe, 2am-c., ambr.Boe, 2anac., ang.Boe, anh.Mez, arg.Stau, arg-n., 2arn.Boe, arund.Kne, asaf., asar., aster.Juli, atro., aur., bamb-a.Schu, bar-c., bell., bov., bry.Boe, caj., calc., 2calc-p., calc-sil.Boe, camph., cann-s., canth., caps.Jahr, 2carb-v., 2caust., cham., 2chin., cic., clem., cocc., coff., colch.1058, 3Con.Boe, corn., croc., cupr., cycl., dig., glon., 0graph.Gall, guai.Jahr, 3Hell., hep.Boe, 2hyos., ictod.Jahr, ign., iod., ip., 2kali-br., kreos., 2lach., laur., lepi., lil-t., 3Lyc., lycps.Kne, m-arct.Jahr, meny.Kne, 2merc., merc-c., 2mez.Kne, mosch.Jahr, nat-c., 2nat-m., nat-p., 2nit-ac., 2nux-m., Onux-v.Gall, olnd., 3Op., petr., 3Ph-ac.Kne, 3Phos., plat.Boe, 2plb., ran-b.Clar, ran-s.Boe, rheumLees, rhod.Boe, rhus-t., rutaBoe, 3Sel.Boe, sep., sil., spig.Boe, stann.Boe, 3Staph., stram.Boe, sulph., 2tarent., thuj., trom.Kne, valer., verat., xan.Clar, 2zinc.

MIND; IDEAS; deficiency of; daytime (1) : calc-sil.Boe

MIND; IDEAS; deficiency of; brain fag, in (1) : 2ph-ac.Kne

MIND; IDEAS; deficiency of; exertion, on extra (2) : 2mez.Kne, olnd.

MIND; IDEAS; deficiency of; headache, with dull, in room, amel. in open air (1) : 2meny.Kne

MIND; IDEAS; deficiency of; interruption, from any (1) : colch.

MIND; ANSWER, answering, answers; wandering (1) : 2lyc.Kne

MIND; DELIRIUM; wandering (4) : chlol.Alle, 2nat-m.Kne, sec.Kne, sulph.Kne

MIND; APHASIA (70) : agar.Boe, alum.Boer, 2anac.Boer, ant-m.Kne, ant-t.Kne, apisDel , arag.Boer, 2arg-n.Kne, arn.Boer, 2ars.Kne, arum-m.Kne, aur-m.Vith, bar-acet.Boer, 2bar-c.Kne, bell.Kne, bold.Mez, 2both-l., 2calc.Kne, calc-p.Boer, cann-i.Boer, 2caust.Boer, cench.Schm, cham.Boer, 2chen-a., chin.Boer, chin-ar.Clar, cimic.Kne, colch.Boe, con.Kne, crot-h.Kne, cupr.Kne, dios.Boer, dulc.Boer, elapsBoe, 2glon., 0hydr.Gall, hyos.Kne, ip.Vith, 2kali-br.Alle, 2kali-chl.Kne, kali-cy.Boer, kali-p.Kne, lac-c.Boer, 2lach.Kne, laur.Kne, lil-t.Boer, lyc.Boe, 2mag-c.Kne, 2merc.Kne, mez.Boer, najaBoe, 3Nit-ac.Kne, 2nux-m.Kne, 2nux-v.Kne, oci.Vith, oena.Kne, olnd.Kne, onos.Bog, op.Phat, ph-ac.Boer, phos.Boer, 2plb.Boer, puls.Boe, stram.Hale,, sulfon.Boer, sumb.Boer, syph.Kne, tab.Kne, xero.Glad, zinc.Kne

MIND; DEMENTIA; alternating with excitement (1) : carb-n-s.Boer

MIND; DEMENTIA; business, worry from (1) : lil-t.Phat

MIND; IMBECILITY; sexual; excitement, with (6) : 2bell.Schm, 2hep.Schm, 2hyos.Schm, 2phos.Schm, 2staph.Schm, 2stram.Schm

MIND; IMBECILITY; shrieks on being held (2) : 2hell.Schm, 2ign.Schm

EXTREMITIES; ATAXIA; old people, in (1) : 2bar-c.Kne

MIND; IDIOCY; idiotic actions (2) : ant-c., caust.1058

Total	Bar-c.	Phos.	Lyc.	Con.	Ambr.	Anc.	Plb.	Ph-ac.	Hell.	Bell.	Lach.	Ign.	Calc-p.	Hys.	Arg-n.	Sec.	Sulph.	Merc.	Laur.	Nit-ac.	Stram.	Castr.	Anac-oc.	Nux-m.	Mez.	Carbo-s.	Nat-l.	Zinc.	Agar.	Kali-Br.	Lil-t.	Verat.	Ond.
Rubrics	13	10	10	9	8	8	8	6	6	11	11	12	10	9	9	8	9	9	8	7	8	5	8	7	7	4	7	7	6	7	5		
Kingdoms																																	
MIND; DEMENTIA (73)																																	
MIND; DEMENTIA; old people, in (40)																																	
MIND; DEMENTIA; paretic (16)																																	
MIND; DEMENTIA; sadness, with (1)																																	
ANSWER, answering, answers; abruptly, ... (1)																																	
DULLNESS, sluggishness, difficulty of ... (1)																																	
MIND; IMBECILITY (146)																																	
MIND; IMBECILITY; aphasia, with (1)																																	
MIND; IMBECILITY; negativism (2)																																	
IMBECILITY; old rags are as fine as silk (1)																																	
WILL; loss of; paralysis with imbecility, in (2)																																	
ABSENT-MINDEDNESS; old people, in (5)																																	
MIND; CONFUSION of mind; old people, in (4)																																	
DULLNESS, sluggishness, difficulty of ... (1)																																	
DULLNESS, sluggishness, difficulty of ... (5)																																	
MIND; INSANITY; madness; old people, in (9)																																	

Total	Aur-i.	Staph.	Crot-h.	Ant-c.	Arg.	Bar-acet.	Apisin.	Arag.	Acon.	Aur.	Cupr.	Agn.	Tarent.	NUX-V.	Ars.	Nat-m.	Calc.	Bapt.	Aesc-q.	Ov.	Orch.	Alum.	Am-c.	Bar-m.	Pic-ac.	Cann-i.	Iod.	Aeth.	Chol.	Sil.	Cham.	Fli-ac.	Calc-sil.	Bufo-s.
Rubrics	3	3	4	5	5	4	1	1	6	4	4	5	4	5	5	6	6	5	3	2	2	4	3	2	2	4	4	3	3	3	3	3	1	
Kingdoms																																		
MIND; DEMENTIA (73)																																		
MIND; DEMENTIA; old people, in (40)																																		
MIND; DEMENTIA; paretic (16)																																		
MIND; DEMENTIA; sadness, with (1)																																		
ANSWER, answering, answers; abruptly, ... (1)																																		
DULLNESS, sluggishness, difficulty of ... (1)																																		
MIND; IMBECILITY (146)																																		
MIND; IMBECILITY; aphasia, with (1)																																		
MIND; IMBECILITY; negativism (2)																																		
IMBECILITY; old rags are as fine as silk (1)																																		
WILL; loss of; paralysis with imbecility, in (2)																																		
ABSENT-MINDEDNESS; old people, in (5)																																		
MIND; CONFUSION of mind; old people, in (4)																																		
DULLNESS, sluggishness, difficulty of ... (1)																																		
DULLNESS, sluggishness, difficulty of ... (5)																																		
MIND; INSANITY; madness; old people, in (9)																																		

LA PERDITA DI MEMORIA

MIND; MEMORY; weakness, loss of (344) : abies-c.Mang, abies-n.Mang, abrot., absin.Alle, acet-ac.Alle, 2acon.Boe, acon-c.Alle, act-sp., aesc., aeth., agar.Boe, 2agn., ail., alco.Alle, all-s.Kne, allox.Step, Oaloe1058, 2alum.Boe, alum-sil.Ken, alumn.Alle, am-br.Vith, 2am-c.Mang, am-m., 0ambr.Gall, 3Anac.Boe, 2anac-oc.Kne, anan., androc.Sherr, 2ang.Mang, anh.Boer, ant-t.Boe, 2apisKne, arag.Boer, 3Arg.Mang, 3Arg-n.Kne, arge.Juli, 2arn.Boe, 3Ars.Boe, ars-h.Kne, 0ars-met.1058, art-v.Phat, arum-t., asaf.Boe, 0asar.1058, asc-t.Alle, 0aster.1058, 2atro.Kne, 2aur.Boe, aur-ar.Ken, aur-m.Alle, aur-s.Alle, aza.Boer, 2bamb-a.Schu, bapt.Alle, bar-acet.Boer, 3Bar-c.Kne,

bar-i.Ken, bar-s.Ken, 3Bell.Hahn, berb.Kne, bol.Kne, bor., 2bov., brom., 2bry.Boe, 3BufoKne, 3Bufo-s.Alle, 2cac.Mang, 0cact.1058, cadm.Step, cael.Juli, calad., 2calc.Boe, calc-ar.Ken, calc-f.Nas, 2calc-p.Alle, calc-s.Alle, calc-sil.Ken, camph.Alle, cand-a.Rief, 2cann-i.Alle, cann-s.Boe, caps.Jahr, carb-ac.Boe, 2carb-an.Hahn, 2carb-v.Boe, carb-n.o.Alle, 3Carbn-s.Alle, carc.Step, card-m., carl.Alle, caul.Kne, 0caust.Gall, 0cedr.1058, cench.Ken, 3Cham.Mang, chel.Alle, 2chin.Boe, 2chin-ar., 0chin-s.1058, chlf.Kne, 2chlol., chlor.Kne, chlorpr.Juli, choc.Sherr, chr-ac.Alle, 2cic.Boe, cimic.Kne, 0cinnb.1058, 2clem., cob-n.Step, cocaBoe, 3Cocc., 0coff.Gall, 3Colch.Boe, coloc., 3Con.Boe, convo-s.Step, cop., cori-r.Alle, corn., cortico.Step, cortiso.Step, cot.Alle, croc.Boe, 0crot-c.Gall, 2crot-h.Kne, crito-t., cub., culx.Ken, 2cupr.Kne, cupr-acet.Kne, 2cycl.Boe, der.Clar, 2dig.Kne, dios.Kne, 0dir.1058, 2dulc.Boe, elaps, erio.Alle, euon.Boer, euon-a.Boer, euphr., eupi.Alle, 3Fago.Boer, ferr-p., 2fl-ac.Kne, 2form.Alle, gad.Alle, 2gels.Kne, germ.Sherr, gins.Alle, 3Glon.Kne, glyc.Boer, 0gran.1058, 2graph.Boe, 2guai., guare.Alle, guat.Step, gymn.Alle, haem.Alle, halo.Juli, ham.Alle, 3Hell.Boe, helo., 2helon., 3Hep.Boe, hipp., hist.Step, 2hydr.Boe, hydrog.Sherr, 3Hyos.Boe, 2hyper.Mang, 2iber.Kne, ichth.Boer, 2ign.Jahr, iod.Ken, iodof.Clar, ip., iris, jab.Mang, jug-c.Alle, 2juni-c.Mang, kali-ar., kali-bi., 2kali-br.Kne, kali-c.Boe, kali-cy.Alle, kali-i., 0kali-n.1058, 3Kali-p., kali-s., kali-sil.Ken, kalm., kiss.Alle, kreos.Kne, lac-ac., 2lac-c.Kne, lac-d., lac-h.Hou, 3Lach.Boe, lact.Kne, lap-c-b.Eis, lap-gr-m.Eis, lat-k.Boer, 2laur.Boe, lec.Boer, led.Boe, lil-t.Alle, lim.Boer, linu-c.Alle, linu-u.Alle, lipp.Alle, lith-c.Hale,, 0lyc.Gall, lyss., m-arct.Jahr, macrin.Alle, mag-c.Jahr, manc.Kne, mand.Step, mang., 3Med.Kne, meli., 3Merc.Boe, 2merc-c., methys.Juli, 2mez.Kne, mill.Alle, mit.Alle, morph.Alle, mosch.Boe, 0mur-ac.1058, murx.Jahr, musca-d.Mang, naja, 2nat-ar.Alle, 2nat-c.Boe, 2nat-m.Hahn, 2nat-p., nat-sal.Alle, nat-sil.Ken, nid.Juli, 3Nit-ac.Kne, nitro-o.Alle, 3Nux-m.Boe, 2nux-v.Boe, 2oena.Alle, okou.Juli, 2olnd.Boe, 0onos.1058, 2op.Boe, ovi-g-p.Mang, ox-ac.Ken, 0ozoneSch, pall.Bog, perh.Juli, peti.Alle, 2petr.Boe, 3Ph-ac.Boe, phenob.Juli, 3Phos.Hahn, phys.Boe, 2pic-ac., pip-m.Stau, pitu-a.Flor, plan., 3Plat.Alle, 3Plb.Boe, pneu.Juli, podo.Boe, polyp-p.Kne, prot.Pater, prun.Bog, psil.Juli, psor.Kne, ptel.Hale,, 2puls.Boe, rad-br.Step, ran-s.Alle, raph.Alle, rauw.Step, rhod.Boe, rhus-g.Alle, 2rhus-t.Boe, 0rob.1058, 2rosm.Mang, ruta, sabad., 2sabin.Mang, sanic., sapin.Alle, sarr.Alle, scut.Mang, sec.Alle, 2sel., seneg., 3Sep.Alle, seq-s.Birc, serp.Alle, 2sil.Boe, 0sol-n.1058, 2spig.Boe, spong., 2stann.Boe, 2staph.Boe, 2stram.Kne, stront-c., stry., 3Sul-ac.Mang, sulfa.Step, 2sulph.Boe, sumb.Boer, 2syph., 0tab.Gall, tarax.Kne, 2tarent.Alle, tarent-c.Muz, 2tax.Mang, tell.Alle, tep.Alle, 2ter.Mang, thea.Mang, 0ther.1058, thiop.Juli, 2thuj.Kne, thyr.Boer, trif-p.Boer, trom.Kne, 2tub.Alle, upa.Alle, valer., 3Verat.Boe, verat-v.Alle, verb.Boe, 2viol-o.Kne, visc.Step, wild.Alle, xero.Glad, yuc.Alle, 2zinc.Hahn, 2zinc-m.Alle, 2zinc-p.Ken, zinc-pic.Boer

MIND; FORGETFULNESS; old people, of (12) : am-c.Ken, 2ambr., anac.Stau, 2bar-c., 0coff.Gall, 2con.Stau, 2crot-h.Kne, 0lach.Gall, 2lyc., 2ph-ac., rhus-t.Stau, 0sulph.Gall

MIND; MEMORY; weakness, loss of; imbecility, in (1) : 2anac.Kne

MIND; MEMORY; weakness, loss of; morning; agg. (4) : anac.Alle, berb.Kne, sil.Alle, stann.Jahr

MIND; MEMORY; weakness, loss of; morning; agg.; waking, after (2) : berb.Kne, stann.Alle

MIND; MEMORY; weakness, loss of; morning; amel. (1) : fl-ac.Kne

MIND; MEMORY; weakness, loss of; afternoon; agg. (6) : anac.Jahr, laur.Alle, nat-ar.Alle, nux-m.Alle, sarr.Alle, tarent.Alle

MIND; MEMORY; weakness, loss of; afternoon; agg.; two pm. (1) : nux-m.Alle

MIND; MEMORY; weakness, loss of; afternoon; agg.; two thirty pm. (1) : laur.Alle

MIND; MEMORY; weakness, loss of; afternoon; amel. (1) : anac.Kne

MIND; MEMORY; weakness, loss of; evening (4) : bufo-s.Alle, form.Alle, mill.Alle, nat-m.Alle

MIND; MEMORY; weakness, loss of; night (4) : carl.Alle, lyc.Alle, op.Alle, plat.Alle

MIND; MEMORY; weakness, loss of; night; talking, while (1) : carl.Alle

MIND; MEMORY; weakness, loss of; night; waking, on (1) : plat.Alle

MIND; MEMORY; weakness, loss of; aphasia, with (2) : cann-i.Stau, hyper.Boe

MIND; MEMORY; weakness, loss of; business, for (14) : agn., androc.Sherr, chel., fl-ac., hyos., kali-c., kreos., mag-c.Jahr, phos., sabin., sel., sulph., tell., tep.

MIND; MEMORY; weakness, loss of; cerebral; hyperemia, in (1) : verat-v.Alle

MIND; MEMORY; weakness, loss of; cerebral; softening, in threatening (1) : 2nux-v.Kne

MIND; MEMORY; weakness, loss of; congestion to head, with (4) : 2chin.Boe, 2merc.Boe, 2rhus-t.Boe, 2sulph.Boe

MIND; MEMORY; weakness, loss of; dates, for (13) : acon., 2con., crot-h., fl-ac., 2hyper.Mang, kali-bi., kali-br., lap-c-b.Eis, med.Ken, merc., Onux-v.Gall, Ostaph.Gall, syph.

MIND; MEMORY; weakness, loss of; details, for (1) : cadm.Step

MIND; MEMORY; weakness, loss of; diabetes, in (1) : 2op.Kne

MIND; MEMORY; weakness, loss of; do, for what he was about to (40) : agn., allox.Step, bamb-a.Schu, 2bar-c., bell., calc-p., calc-s., cand-a.Rief, cann-s.Kne, 2carb-ac.Kne, carb-an.Schm, carbns.Kne, 2card-m., 2chel., choc.Sherr, cinnb., cortico.Step, fl-ac., germ.Sherr, gran., hydr., hydrog.Sherr, iod.Ken, jug-c., kali-s.Ken, kreos., 2lac-c.Kne, lap-c-b.Eis, manc.Kne, med.Phat, nat-m.Hahn, 2nux-m., 2onos., OzoneSch, phos.Hahn, plb.Coll, psil.Juli, 2sabin.Mang, seq-s.Birc, 2sulph.

MIND; MEMORY; weakness, loss of; do, for what he was about to; one moment to the next, from (1) : 2manc.Kne

MIND; MEMORY; weakness, loss of; do, for what he was about to; things in her hand, with (1) : carbns.Kne

MIND; MEMORY; weakness, loss of; done, for what he has just (40) : absin., 2acon., agar., ail.Phat, allox.Step, androc.Sherr, aster., 2bar-c., bor., bov., bufo, calad., 2calc-p., camph., chel., choc.Sherr, cic.Phat, fl-ac., germ.Sherr, graph., 2hyos., 2kali-c.Geuk, lac-c., lach., lap-c-b.Eis, laur., lyc., nat-m.Phat, 2nux-m., 2onos., OzoneSch, psil.Flor, rad-br.Step, rauw.Step, rhus-t., rutaMang, sabin., sanic.Clar, thuj., zinc.Hahn

MIND; MEMORY; weakness, loss of; drunkards, in (7) : 3Calc.Boe, 2lach.Boe, merc.Boe, 3Nux-v.Boe, 3Op.Boe, puls.Boe, 3Sulph.Boe

MIND; MEMORY; weakness, loss of; emotions, from (5) : 3Acon.Boe, cupr.Mang, op.Boe, ph-ac.Boe, 3Staph.

MIND; MEMORY; weakness, loss of; everyday things, for (4) : carc.Step, germ.Sherr, halo.Juli, ph-ac.Vann

MIND; MEMORY; weakness, loss of; expressing ones self, for (43) : acet-ac.Alle, agar., am-c.Alle, arg-n., bamb-a.Schu, bell., cann-i.Stau, cann-s., carb-an.Hahn, carbns.Alle, cimic.Kne, 2cocaKne, cocc., colch.Kne, cot.Alle, crot-h.Stau, dulc., gad.Alle, haem.Alle, hydrog.Sherr, ign.Alle, 2kali-brKne, 2kali-c., kali-p.Stau, kiss.Alle, lac-c., lach., 2lact.Kne, lil-t.Alle, 2lyc., med.Tyle, morph.Alle, murx.Alle, 2nat-m., 2nux-v., 2ph-ac.Alle, phys.Alle, 3Plb., puls., sep.Alle, 2stram.Kne, tab.Alle, thuj.

MIND; MEMORY; weakness, loss of; facts, for (27) : absin.Phat, acet-ac.Ken, ail.Ken, allox.Juli, androc.Sherr, aza.Juli, 0bell.Gall, cael.Juli, 0calc.Gall, camph.Alle, carb-ac.Boe, 0carb-v.Gall, carbns.Alle, 0coff.Gall, ferr-p.Clar, graph.Ken, hydr.Boe, 0hyos.Gall, 0lach.Gall, 0lyc.Gall, med.Ken, nat-m.Ken, nux-m.Ken, 0nux-v.Gall, rhus-t.Phat, 0sulph.Gall, Overat.Gall

MIND; MEMORY; weakness, loss of; facts, for; past (10) : ail.Ken, bell.Alle, 0calc.Gall, camph.Alle, 0coff.Gall, hyos.Alle, lach.Alle, 0lyc.Gall, nux-m.Ken, sulph.Alle

MIND; MEMORY; weakness, loss of; facts, for; recent (21) : absin.Phat, acet-ac.Ken, ail.Phat, allox.Juli, androc.Sherr, aza.Juli, Obell.Gall, cael.Juli, Ocalc.Gall, carb-ac.Boe, Ocarb-v.Gall, carbns.Alle, graph.Ken, hydr.Boe, Ohyos.Gall, Olach.Gall, nat-m.Ken, Onux-v.Gall, rhus-t.Phat, Osulph.Gall, Overat.Gall

MIND; MEMORY; weakness, loss of; forms, for (6) : 0ambr.Gall, crot-h.Kne, Olyc.Gall, Ostaph.Gall, sulfa.Juli, Osulph.Gall

MIND; MEMORY; weakness, loss of; grief, after (9) : all-c.Mang, 2colch.Mang, con.Ken, hecla.Mang, ign.Jahr, 3Lil-t.Mang, ox-ac.Mang, 2ph-ac.Mang, verb.Mang

MIND; MEMORY; weakness, loss of; happened, for what has (20) : absin.Clar, acet-ac.Clar, ail.Ken, allox.Step, bufo-s., calad.Ken, cann-i.Kne, carb-ac.Boe, cic.Ken, cocc.Ken, germ.Sherr, graph., hydr.Boe, 2lach., lap-c-b.Eis, 2nat-m., 2nux-m., rhus-t., sulph., syph.Ken

MIND; MEMORY; weakness, loss of; happened, for what has; remembers past events, but (1) : syph.Boer

MIND; MEMORY; weakness, loss of; heard, for what has (22) : agar., ail.Ken, allox.Step, calc., cann-i., carb-ac.Geuk, carb-v., 3Hell., hydr.Geuk, 3Hyos., iber.Juli, 2lach., 2med.Schm, mez., nat-m., 2nux-m., 0ozoneSch, plat., prot.Pater, psor., stram.Meze, sulph.

MIND; MEMORY; weakness, loss of; heard, for what has; just (3) : allox.Step, iber.Juli, stram.Meze

MIND; MEMORY; weakness, loss of; injuries, after (7) : am-c.Boe, arn.Boe, chin-ar.Schm, cic.Boe, hyper.Boe, merc.Boe, rhus-t.Boe

MIND; MEMORY; weakness, loss of; injuries, after; head, of the (7) : am-c.Boe, 3Arn.Boe, chin-ar.Schm, cic.Boe, 2hyper.Boe, merc.Boe, rhus-t.Boe

MIND; MEMORY; weakness, loss of; injuries, after; head, of the; concussion of the brain (1) : 2hyper.Stau

MIND; MEMORY; weakness, loss of; insanity, in (3) : aur.Kne, 2merc.Kne, 2stram.Kne

MIND; MEMORY; weakness, loss of; labor, for mental (30) : acon., aloe, asar., bar-c.Kne, calc.1058, colch.1058, 2con., cycl., 2gels., graph., ign.Ken, laur., lyc., naja, 3Nat-c., 3Nat-m., nux-v.1058, 2ph-ac., 2pic-ac., plat.1058, puls.1058, sel., sep., 2sil., sol-n., spig., spong., staph., ther., thuj.

MIND; MEMORY; weakness, loss of; learned; just, for what he has (1) : bar-c.Borl

MIND; MEMORY; weakness, loss of; learned; repeat, cannot, what he, by heart (1) : mez.Clar

MIND; MEMORY; weakness, loss of; letters; meaning of single (1) : 2lyc.Kne

MIND; MEMORY; weakness, loss of; letters; names of, for (1) : 2lyc.

MIND; MEMORY; weakness, loss of; mental exertion; from (14) : anac.Vann, aur.Boe, bamb-a.Schu, 2calc.Boe, 2lach.Boe, nat-c.Boe, 2nat-m.Boe, 2nit-ac.Kne, 3**Nux-v.**Boe, ph-ac.Lipp, pic-ac.Lipp, puls.Boe, 2sil.Boe, 3**Sulph.**Boe

MIND; MEMORY; weakness, loss of; mortification, from (1) : 2anac.Kne

MIND; MEMORY; weakness, loss of; music, for (4) : ign.Ken, 0lyc.Gall, 0staph.Gall, sulfa.Juli

MIND; MEMORY; weakness, loss of; names, for proper (65) : allox.Step, 0alum.Gall, 2anac., aur.Geuk, aza.Juli, bamb-a.Schu, bar-acet.Boer, 2bar-c.Flur, bell., 2calc.Flur, camph.Kne, cand-a.Rief, cann-i., carl.Alle, 0caust.Gall, chin-s., chlor., choc.Sherr, cortico.Step, croc., 2crot-h., euon.Boer, 2euon-a.Boer, ferr-p.Clar, fl-ac., glon., 2guai., hep.Boer, hist.Step, 2hyper.Mang, jab.Mang, kali-br., kali-p.Clar, lach., lim.Boer, linu-u.Alle, lith-c., 2lyc., 2med.Kne, merc., mur-ac.Mez, nat-ar., 0nat-m.Gall, nat-p.Flur, 0nux-v.Gall, olnd., 0ozoneSch, perh.Juli, ph-ac.Ken, plb.Flur, ptel., puls., 2rhus-t., sapin.Alle, sec., sil.Mez, spig., 0staph.Gall, stram., 2sulph., syph., 0tab.Gall, tarent-c.Muz, 0valer.1058, xero.Glad

MIND; MEMORY; weakness, loss of; names, for proper; later of words and initial letters (1) : 2med.Kne

MIND; MEMORY; weakness, loss of; names, for proper; members of his family, of (1) : ph-ac.Ken

MIND; MEMORY; weakness, loss of; names, for proper; objects, of (3) : camph.Kne, chin-s.Phat, lith-c.Phat

MIND; MEMORY; weakness, loss of; names, for proper; objects, of; remembers names of, but not their use, without investigating their nature (1) : camph.Kne

MIND; MEMORY; weakness, loss of; names, for proper; own, his (5) : alum., kali-br., 2med., sulph., valer.

MIND; MEMORY; weakness, loss of; numbers, for (1) : plb.Coll

MIND; MEMORY; weakness, loss of; occurrences of the day (10) : acet-ac.Ken, calad.Ken, 2carc.Geuk, cic.Ken, germ.Sherr, nat-m., perh.Juli, 2ph-ac., plb., 2rhus-t.

MIND; MEMORY; weakness, loss of; paroxysms, in (2) : 2hep.Kne, 2stram.Kne

MIND; MEMORY; weakness, loss of; persons, for (26) : acet-ac., agar., ail., 0ambr.Gall, anac., bamb-a.Schu, bell., cedr., cham., chlor.Kne, croc., 2crot-h.Kne, guai.Phat, hyos., lyc.Clar, merc., nux-v., op., ph-ac.Ken, 0staph.Gall, stram., 0sulph.Gall, syph.Ken, tarent.Muz, thuj., verat.

MIND; MEMORY; weakness, loss of; places, for (18) : allox.Step, 0calc.Gall, 0con.Gall, 0crot-c.Gall, 2crot-h.Kne, glon.Kne, 2hep.Stau, 0hydr.Gall, lap-gr-m.Eis, 0lyc.Gall, merc., nux-m., plb.Coll, psor.Kne, 0sil.Gall, 0staph.Gall, 0sulph.Gall, syph.Ken

MIND; MEMORY; weakness, loss of; places, for; location of house in the street, for (1) : 2glon.Kne

MIND; MEMORY; weakness, loss of; places, for; room, does not know his own (1) : psor.Kne

MIND; MEMORY; weakness, loss of; places, for; waking, on (1) : lap-gr-m.Eis

MIND; MEMORY; weakness, loss of; read, for what he has (46) : allox.Step, ambr., anac.Kne, arn., ars-met., bell., calc-sil.Ken, cann-i., carb-ac., chlor., cocc.Ken, coff., colch., corn., guai., halo.Juli, ham., 3**Hell.**, hipp., hydr., 2**hyos.**, jug-c., lac-c., lac-d., lac-h.Hou, 3**Lach.**, 2**lyc.**, 2**med.**Alle, 2**merc.**, nat-c., 2**nat-m.**, 2**nux-m.**, olnd., 2**onos.**, 2**op.**, perh.Juli, 0ph-ac.Gall, phos., psil.Flor, psor., 3**Staph.**, syph.Ken, tarent-c.Muz, tep., tub.Alle, viol-o.Kne

MIND; MEMORY; weakness, loss of; read, for what he has; just (4) : 3**Anac.**Kne, 2**med.**Alle, 0ph-ac.Gall, viol-o.Kne

MIND; MEMORY; weakness, loss of; remembers everything previous to his disease, but (1) : syph.Phat

MIND; MEMORY; weakness, loss of; sadness, with (1) : 2arg-n.Kne

MIND; MEMORY; weakness, loss of; said, for what has (34) : ail.Ken, arg.Stau, 2arn., 2bar-c., calc.Alle, calc-sil.Ken, 2cann-i.Kne, carb-an., 2carb-v., cench.Ken, cic.Ken, colch., croc., 3**Hell.**, hep., 2hydr.Kne, 3**Hyos.**, kali-n., lach., mag-c.Jahr, 2**med.**, merc., mez., 2**mur-ac.**, nux-m., 0ozoneSch, plb.Coll, 2psor., rhod., stram., sulph., tarent.Muz, tep., verat.

MIND; MEMORY; weakness, loss of; say, for what he is about to (44) : allox.Step, am-c., anac.Phat, arg.Ken, 2arg-n., 2arn., atro.Kne, 3**Bar-c.**Schm, benz-ac.Mang, 2calc-br.Mang, 2cann-i., cann-s., carb-an., card-m., carl.Alle, colch., cot.Alle, dulc.Ken, 3**Hell.**, hydr., hyper., iod.Ken, kali-s.Ken, lap-gr-m.Eis, lil-t., lyc.Whit, 2**med.**, merc., 2**mez.**, 2**nat-m.**, nux-m., 2**onos.**, ph-ac.Ken, 2pic-ac.Mang, plb.Coll, podo., prot.Pater, rhod., rhus-t.Schm, 0staph.Gall, stram., 2sulph., thuj.Kne, verat.

MIND; MEMORY; weakness, loss of; say, for what he is about to; commencing sentence, after (3) : atro.Kne, lap-gr-m.Eis, thuj.Kne

MIND; MEMORY; weakness, loss of; seen, for everything what has (1) : 2anac.Kne

MIND; MEMORY; weakness, loss of; sensorial complaints, with (1) : 2camph.Kne

MIND; MEMORY; weakness, loss of; sudden and periodical (19) : am-c.Bog, 2anac.Her, arg-n.Bog, bell.Bog, calc.Boe, calc-s., 2carb-v., chin.Schm, gels.Clar, hep.Bog, 2kali-br., laur.Bog, 2mosch.Kne, nux-m., nux-v.Schm, pall.Bog, prun.Bog, puls.Bog, syph.Schm

MIND; MEMORY; weakness, loss of; sudden and periodical; pain, fright, from (10) : am-c.Bog, anac.Phat, arg-n.Bog, bell.Bog, hep.Bog, laur.Bog, nux-m.Bog, pall.Bog, prun.Bog, puls.Bog

MIND; MEMORY; weakness, loss of; thought, for what he just (19) : acon., agar., alum., anac., bell., 2cann-i., 2cocc., colch., fl-ac., 2hyos., 2med., nat-m., OzoneSch, ran-s., rob., staph., stram., Osulph.Gall, verb.

MIND; MEMORY; weakness, loss of; time, for (4) : bamb-a.Schu, 2lach.Jahr, merc., sabin.Mang

MIND; MEMORY; weakness, loss of; vexation, agg. (1) : am-c.Phat

MIND; MEMORY; weakness, loss of; weight, with heavy, between eyes (1) : 2staph.Kne

MIND; MEMORY; weakness, loss of; words, for (68) : agar., allox.Step, alum.Boe, 2anac., 2ang.Mang, anh.Step, arag.Boer, 2arg.Mang, 2arg-n., 2arn., bamb-a.Schu, 3Bar-c., bar-s.Mang, cact., calc.Boe, 2calc-br.Mang, calc-p.Boer, cann-i., 2cann-s.Boe, caps.Jahr, 2carbn-s., cham., chin.Boer, cimic., cocaBoe, 2cocc., con., 2crot-h.Mang, cupr., dios.Boer, 2dulc., germ.Sherr, 2glon.Kne, ham., 2hell., helo.Clar, 2hep.Stau, hist.Step, hydrog.Sherr, 2kali-br., 2kali-c., 2kali-p., lac-c.Boer, 2lach., lil-t., 2lyc., lyss., med., murx.Jahr, 2nat-m., 2nux-m.Boer, 2nux-v., Oop.Gall, OzoneSch, 2ph-ac., 3Plb., podo.Boe, ptel.Hale,, puls., rhus-t.Jahr, sil.Boe, staph.Boe, sulfa.Juli, 2sulph., sumb.Boer, thiop.Juli, thuj., xero.Glad

MIND; MEMORY; weakness, loss of; write, for what is about to (12) : 3Cann-i., chr-ac.Alle, colch., 2croc., dirc., lach.Jahr, med.Schm, 2nat-m., 2nux-m., ptel.Hale,, rhod.Alle, rhus-t.

MIND; MEMORY; weakness, loss of; written, for what he has (3) : calad., cann-i., nux-m.

MIND; APHASIA; amnesic, from loss of memory (3) : kali-br.Alle, plb.Boer, stram.Hale,

LAMENTI, BORBOTTII, CONFABULAZIONI

MIND; MUTTERING (76) : aetherAlle, ail., alum., anac.Alle, anac-oc.Kne, ant-t.Boer, 2apisBoe, arg-n.Kne, 2arn.Kne, ars.Alle, ars-s-f.Ken, arum-t.Boe, atro.Alle, aur.Boer, 2bapt.Boe, bar-acet.Hahn, bar-c.Jahr, 2bell.Boe, bry.Schm, bufoRice, calad., calc.Schm, calc-sil.Ken, camph.1058, camph-br.Hale,, cann-s.Alle, caust.Schm, cham., chel., chlf.Alle, chlol.Hale,, cic.Kne, cimic.Hale,, 2cocc.Kne, colch., con.Alle, conin.Alle, cor-r.Hale,, 2crot-h.Kne, dor.Hale,, dulc., gels.Kne, hell.Boe, 2hep., 3Hyos.Boe, indg.1058, iris, kali-br.Boe, 3Lach.Kne, lachn.Hale,, 2lyc., 2merc., morph.Alle, 2mur-ac.Boe, mygal.Hale,, nat-m., nit-s-d.Kne, nux-v.Kne, 2op.Boe, ph-ac.Boe, 2phos.Boe, plb., raph.Jahr, 2rhus-t.Boe, sec.Alle, sil.Boe, stann.Kne, 3Stram.Alle, sul-ac.Jahr, sulph.Kne, tab., tarax.Kne, 2verat.Kne, vesp.Alle, vip., zinc.Kne

MIND; DELIRIUM; muttering (45) : agar.Boer, 2ail.Kne, amyg-am.Kne, 2ant-t.Kne, 2apisKne, 2arn.Kne, ars., arum-t.Ken, 2bapt., 2bell., 3Bry., calad., calc-sil.Ken, chel., 2cic.Kne, 2colch., convo-s.Step, 2crot-h.Kne, dor., gels.Kne, hell., 2hep., 3Hyos., ipom.Step, 2irisKne, kali-br., kali-cy.Alle, 2lach.Kne, 2lyc.Kne, 2merc., 2mur-ac., nat-m., nux-v., 2op., ph-ac., 3Phos.Kne, raja-s.Juli, 2rhus-t., 2sec., 3Stram., 2sulph.Kne, 2tab., 2tarax.Kne, 2ter.Kne, 2verat.

MIND; DELIRIUM; muttering; himself, to (5) : bell., hyos., rhus-t., tab., tarax.Phat

MIND; DELIRIUM; muttering; lies in a stupid state, typhoid (1) : sulph.Kne

MIND; DELIRIUM; muttering; sleep, in (5) : ant-t.Kne, ars., bry., 2gels.Kne, sulph.

MIND; MUTTERING; old people, in (1) : 2bar-c.Kne

MIND; MOANING, groaning; tendency; old people, in (1) : 2bar-c.

MIND; DELIRIUM; muttering; sleep, in; stupid, in pneumonia (1) : 2ant-t.Kne

MIND; DELIRIUM; muttering; slowly (1) : ph-ac.

MIND; DELIRIUM; starting, with, picking at bed clothes, wandering and muttering (1) : 2nat-m.Kne

MIND; MIRTH, hilarity, liveliness; alternating with; muttering (1) : ars-s-f.Ken

MIND; MUTTERING; evening (6) : bell., calc-sil.Ken, con.Alle, 2phos., plb., sil.1058

MIND; MUTTERING; evening; bed, in (1) : sil.

MIND; MUTTERING; evening; sleep, on falling asleep (1) : calc-sil.Ken

MIND; MUTTERING; night (4) : 2arg-n.Kne, atro.Alle, mygal.Hale,, sil.1058

MIND; MUTTERING; night; waking, on (2) : atro.Alle, sil.

MIND; MUTTERING; absurd things (3) : 3**Hyos.**Kne, 2stann.Kne, 2verat.Kne

MIND; MUTTERING; apoplexy, in (3) : 2arn.Kne, 2cocc.Kne, 2crot-h.Kne

MIND; MUTTERING; awake, while half (1) : 2gels.Kne

MIND; MUTTERING; business matters, about (2) : dor.Hale,, mygal.Hale,

MIND; MUTTERING; confused (1) : 2bell.Kne

MIND; MUTTERING; himself, to (2) : hyos.Boe, tarax.Phat

MIND; MUTTERING; incoherent, disturbing sleep (1) : 2apisKne

MIND; MUTTERING; low (3) : 2bapt.Kne, sec.Alle, 3**Stram.**Alle

MIND; MUTTERING; nausea, with (1) : cimic.Hale,

MIND; MUTTERING; perspiration, with (8) : 2apisBoe, 2bell.Boe, 3**Mur-ac.**Boe, op.Boe, 3**Ph-ac.**Boe, 3**Phos.**Boe, 3**Rhus-t.**Boe, 2sil.Boe

MIND; MUTTERING; pulse, with quick (1) : cor-r.Hale,

MIND; MUTTERING; pupils, with dilated (1) : cimic.Hale,

MIND; MUTTERING; restlessness, with (2) : chlol.Hale,, mygal.Hale,

MIND; MUTTERING; sleep, in (24) : alum., 2apisBoe, ars., bar-acet.Hahn, bar-c.Jahr, bell.Boe, camph., con., conin.Alle, 2hyos., indg., kali-br.Boe, merc., morph.Alle, mur-ac.Boe, 2nit-s-d.Kne, op.Boe, ph-ac.Boe, phos.Boe, raph.Jahr, 2rhus-t.Boe, sil.Boe, sul-ac.Jahr, 3**Sulph.**Kne

MIND; MUTTERING; sleep, in; perspiration, with (8) : 2apisBoe, 2bell.Boe, 3**Mur-ac.**Boe, op.Boe, 2ph-ac.Boe, 3**Phos.**Boe, 3**Rhus-t.**Boe, 2sil.Boe

MIND; MUTTERING; sleeplessness, with (1) : 3**Hyos.**Kne

MIND; MUTTERING; stupor, during (1) : dor.Hale,

MIND; MUTTERING; unintelligible (6) : 2anac-oc.Kne, 2ars.Alle, cann-s.Alle, 2hell.Kne, hyos.Alle, 2nux-v.Kne

MIND; MUTTERING; unintelligible; alternating with sensorial apathy and staring at one spot (1) :
2hell.Kne

MIND; STUPOR; murmuring, muttering (4) : 2cocc.Kne, dor.Kne, 2phos.Kne, rhus-t.Kne

MIND; VIVACIOUSNESS; alternating with; muttering (1) : ars-s-f.Ken

SLEEP; SLEEPLESSNESS; muttering, with (1) : **3Hyos.**Kne

MIND; DELIRIUM; murmuring (11) : arn.Kne, calad.Kne, 2hyos., 2lyc.Kne, merc.Alle, ph-ac.,
2phos.Kne, rhus-t., 2stram., tab., 2zinc.Kne

MIND; DELIRIUM; murmuring; himself, to (3) : hyos., merc.Alle, tab.

MIND; DELIRIUM; murmuring; leave bed, with desire to (1) : zinc.Kne

MIND; DELIRIUM; murmuring; slowly (1) : ph-ac.

MIND; UNCONSCIOUSNESS, coma; muttering, with (2) : ars.Hahn, merc-s.Hale,

MIND; UNCONSCIOUSNESS, coma; murmuring, with (4) : 2cocc.Kne, dor.Kne, 2phos.Kne, rhus-t.Jahr

MIND; UNCONSCIOUSNESS, coma; murmuring, with; encephalitis, in (1) : 2cocc.Kne

SPEECH & VOICE; SPEECH; murmuring (14) : apisBoe, arg-n.Kne, bar-c.Kne, bell.Jahr, lach.Jahr,
nit-s-d.Kne, nux-v.Jahr, ph-ac.Boe, phos.Boe, raph.Clar, rhus-t.Boe, stram.Jahr, sulph.Kne,
2verat.Kne

SPEECH & VOICE; SPEECH; murmuring; sleep, in (7) : apisBoe, nit-s-d.Kne, ph-ac.Boe, phos.Boe,
raph.Clar, rhus-t.Boe, sulph.Kne

MIND; ANGUISH; lamenting, moaning (1) : tarent.Ken

MIND; INSANITY, madness; lamenting, moaning, only (3) : bell.Jahr, Ohyos.Gall, Ostram.Gall

MIND; LAMENTING, bemoaning, wailing (103) : 2acet-ac.Mang, 2acon.Boe, act-sp.Mang,
2agar.Vith, Oalum.Gall, alum-p.Ken, am-c.Mang, ambr.Mang, anac.Mang, ant-t.Jahr, arg-n.Mang,
arn.Boe, 2ars.Hahn, ars-h.Kne, ars-s-f.Ken, asaf.Mang, **3Aur.**Mang, aur-ar.Ken, aur-s.Ken,
2bac.Alle, bar-s.Ken, 2bell.Mang, 2bism.Mang, brom.Kne, 2bry.Boe, bufoMang, calad.Mang,
2calc.Mang, calc-ar.Ken, calc-s.Ken, calc-sil.Ken, camph.Mang, cand-a.Rief, 2canth.Mang,
caps.Mang, Ocaust.Gall, Ocham.Gall, 2chin.Mang, 2cic.Mang, cimic.Kne, 2cinaKne, cocc.Kne,
2coff.Kne, 2coloc.Kne, 2cor-r.Mang, cupr.Mang, cupr-acet.Alle, cycl.Mang, dig.Mang, dulc.Mang,

hell.Mang, hyos.Mang, ign.Mang, ip.Mang, kali-ar.Mang, kali-br.Mang, kali-i.Mang, kali-p.Mang, Olach.Gall, 3**Lyc.**Kne, lyss.Kne, m-arct.Jahr, mag-p.Kne, merc.Jahr, morph.Alle, 2mosch.Jahr, nat-ar.Mang, nat-c.Mang, nat-m.Mang, nit-ac.Mang, nux-m.Mang, 2nux-v.Hahn, 2op.Jahr, OzoneSch, petr.Mang, ph-ac.Hahn, phos.Mang, plat.Mang, plb.Kne, prun.Jahr, 2puls.Jahr, ran-b.Mang, rheumMang, rhus-t.Mang, rob.Mang, 3**Sars.**Mang, sec.Mang, sep.Mang, sil.Hahn, stann.Hahn, Ostaph.Gall, stram.Jahr, stry.Mang, 2sulph.Mang, syph.Ken, tarent.Mang, thal.Juli, til.Alle, 3**Valer.**Mang, 3**Verat.**Boe, 3**Verat-v.**Mang, viol-t.Mang, zinc.Mang

MIND; LAMENTING, bemoaning, wailing; morning on waking (1) : 2cinaKne

MIND; LAMENTING, bemoaning, wailing; evening (1) : 3**Verat.**

MIND; LAMENTING, bemoaning, wailing; night (3) : sil.Hahn, stram.Alle, verat.

MIND; LAMENTING, bemoaning, wailing; night; waking, on (1) : sil.Hahn

MIND; LAMENTING, bemoaning, wailing; alternating with; anger (1) : arn.Boe

MIND; LAMENTING, bemoaning, wailing; alternating with; crying (1) : bufo

MIND; LAMENTING, bemoaning, wailing; alternating with; delirium (1) : bell.

MIND; LAMENTING, bemoaning, wailing; alternating with; laughing (1) : ars-s-f.Ken

MIND; LAMENTING, bemoaning, wailing; anxiety in epigastrium, about (1) : ars.Hahn

MIND; LAMENTING, bemoaning, wailing; anxious (2) : plb.Kne, puls.Alle

MIND; LAMENTING, bemoaning, wailing; appreciated, because he is not (1) : calc-s.

MIND; LAMENTING, bemoaning, wailing; cold, from (1) : OzoneSch

MIND; LAMENTING, bemoaning, wailing; fever, during (2) : puls.Jahr, til.Alle

MIND; LAMENTING, bemoaning, wailing; future, about (1) : lyc.

MIND; LAMENTING, bemoaning, wailing; heat of whole body except hands, with (1) : 3**Puls.**Alle

MIND; LAMENTING, bemoaning, wailing; loud, piercing (1) : 2ars.Alle

MIND; LAMENTING, bemoaning, wailing; misfortune, over his imagined (1) : alum-p.Ken

MIND; LAMENTING, bemoaning, wailing; others, about (1) : merc.

MIND; LAMENTING, bemoaning, wailing; pain, from (17) : acon.Kne, ars-h.Kne, 2caps.Mang, 0cham.Gall, 2chim.Mang, 2cimic.Mang, 3**Coloc.**Kne, Olach.Gall, 2loxo-r.Mang, 2mag-p.Kne, 2mosch.Jahr, 2nux-v.Hahn, 3**Passi.**Mang, prun.Jahr, 3**Valer.**Mang, verat.Jahr, 2zinc-val.Mang

MIND; LAMENTING, bemoaning, wailing; pain, from; thoughtlessness, with (1) : 2mosch.Kne

MIND; LAMENTING, bemoaning, wailing; pain, from; waking, on (2) : prun.Jahr, verat.Jahr

MIND; LAMENTING, bemoaning, wailing; perspiration, during (5) : 3**Acon.**Boe, 2bry.Boe, ign., nux-v.Boe, verat.Boe

MIND; LAMENTING, bemoaning, wailing; sadness, in (1) : 2puls.Kne

MIND; LAMENTING, bemoaning, wailing; sleep, in (12) : alum., arn., bry.Jahr, 2cham., 2cina, m-arct.Jahr, op.Jahr, ph-ac.Hahn, phos., stann.Hahn, stram., sulph.

MIND; LAMENTING, bemoaning, wailing; trifles, over (2) : cand-a.Rief, 2coff.

MIND; LAMENTING, bemoaning, wailing; waking, on (5) : ant-t.Jahr, cina, merc.Jahr, sil.Jahr, 2stram.Jahr

MIND; SADNESS, despondency, depression, melancholy; walks about crying and lamenting (1) : 2stram.Kne

MIND; WEEPING, tearful mood; tendency; lamenting, and (1) : coff.Phat

COUGH; LAMENTING, from (1) : arn.Boer

MIND; ANXIETY; moaning, with (9) : acon.Lipp, alum.Lipp, ant-t.Lipp, ars.Lipp, cham.Lipp, par.Lipp, phos.Lipp, rheumLipp, sep.Hahn

MIND; CHEERFULNESS, gaiety, happiness; tendency; alternating with; moaning (3) : bell.Jahr, coff.Kne, stram.Jahr

MIND; DANCING; desire for; alternating with sighing, moaning (1) : bell.Hahn

MIND; DELIRIUM; moaning, with (3) : bell.Kne, 2crot-h.Kne, lach.Kne

MIND; DISCOURAGED; moaning, with (3) : cham.Jahr, nux-v.Jahr, verat.Jahr

MIND; DREAMS; frightful; crying and moaning, with (1) : 2puls.Kne

MIND; HYSTERIA; moaning agg., sighing amel. (1) : tarent.

MIND; LAUGHING; tendency; alternating with; whining, moaning (2) : hyos., verat.

MIND; MOANING, groaning; amel. (1) : bell.Min

MIND; MOANING, groaning; tendency (154) : 3**Acon.**Boe, aetherAlle, ail.1058, aloe1058, alum.Boe, am-c.Jahr, ambr.Boe, anac.Jahr, ang., ant-t.Alle, 2apis, 3**Arn.**Hahn, 2ars.Kne, ars-h.Kne, 2arum-t.Her, aur.1058, aur-s.Ken, bac.Swa, bamb-a.Schu, bapt.Boer, 2bar-c.Boe, bar-s.Ken, 3**Bell.**Boe, 2bor.Boe, 2bry.Boe, bufo1058, cadm-s.1058, 2calad.Boe, calc.Hahn, 3**Calc-**

p.Vith, calc-sil.Ken, 2camph., cand-a.Rief, 3**Cann-i.**Hale,, 2cann-s.Boe, canth., caps.Boe, 2carb-ac., carb-an.Hahn, carb-v., carbn-o., carbn-s., caust.Jahr, 2cham.Boe, chin.Jahr, chin-ar., chlf.Kne, 2cic.Min, cimic.Kne, 2cinaJahr, clem.1058, coc-c.Alle, cocaAlle, 2cocc.Boe, coff.Kne, 2colch., 2coloc.Min, con.1058, cop.1058, 2crot-c.Mure, crot-h.Kne, 2cupr.Kne, cupr-acet.Kne, dig., dulc.Kne, erio.Alle, eup-per.Kne, 2eup-pur.Kne, ferr-s.Alle, gall-ac.Vith, gels., graph.Jahr, 0hell.Gall, hep.1058, hipp.Alle, hoit.Juli, huraAlle, hydr.Kne, hydr-ac.Kne, hydrc.Alle, 2hyos.Kne, 2ign.Boe, 2ip.Boe, juni-c.Alle, 2kali-br.Kne, 3**Kali-c.**, kali-chl.Ken, kali-cy.Alle, 2kali-i.Kne, kali-p., kreos.Kne, lac-d.Kne, lach.Boe, lachn.Alle, lat-m.Step, laur., led.Kne, lyc.Boe, lyss.Kne, m-p-a.Hahn, mag-c.Jahr, mang.Kne, merc.Hahn, merc-c., mez.Kne, mill.Boe, 2mur-ac.Boe, naja, nat-

c., nat-m.1058, nit-ac.Jahr, 2nux-v.Boe, oena.Alle, op., ox-ac., petr.Alle, ph-ac.1058, 2phos.Hahn, phys.Kne, phyt.Kne, plat.Kne, plb.Alle, plect.Alle, podo.Kne, psor., 2puls.Hahn, pyrusAlle, rheumHahn, rhus-t.Her, rumx-a.Alle, sac-alb.Clar, samb.Kne, sang.Bog, sars., 2sec.Kne, sel.Kne, sep.Hahn, sil.Boe, sol-n.Hale,, squil., stann.1058, 2stram.Boe, stry.Alle, sul-ac.Boe, sulph.Kne, tab., tanac., tarent., thuj.Boe, thyr.Phat, 3**Tub.**Kne, valer.Phat, verat.Hahn, 3**Zinc.**

MIND; MOANING, groaning; tendency; daytime (1) : zinc.

MIND; MOANING, groaning; tendency; morning (1) : 2bor.Alle

MIND; MOANING, groaning; tendency; afternoon (1) : cina

MIND; MOANING, groaning; tendency; evening (2) : ars., cocaAlle

MIND; MOANING, groaning; tendency; evening; sleep, during (1) : ars.

MIND; MOANING, groaning; tendency; night (13) : 2ars., cupr., dulc.Kne, hep., kali-c.1058, phyt.Kne, plat.Kne, podo.Kne, rhus-t.Her, sec., sol-n.Alle, tarent., zinc.

MIND; MOANING, groaning; tendency; night; three am. (1) : 3**Kali-c.**

MIND; MOANING, groaning; tendency; night; sadness, with (1) : 2plat.Kne

MIND; MOANING, groaning; tendency; night; tossing, with restless (1) : 2dulc.Kne

MIND; MOANING, groaning; tendency; alternating with; dancing (1) : bell.Jahr

MIND; MOANING, groaning; tendency; alternating with; laughing (3) : bell.Alle, stram.Jahr, verat.Alle

MIND; MOANING, groaning; tendency; alternating with; songs, gambols (1) : bell.Alle

MIND; MOANING, groaning; tendency; anxious (5) : 3**Acon.**Kne, alum.Alle, 2ars.Kne, calad.Phat, plb.Kne

MIND; MOANING, groaning; tendency; brain diseases, in (1) : bell.Her

MIND; MOANING, groaning; tendency; causeless (1) : 2hyos.Kne

MIND; MOANING, groaning; tendency; chill, with (6) : arn., chin-ar., cupr., 2eup-per., 2nat-m., samb.Kne

MIND; MOANING, groaning; tendency; constant (5) : kreos.Kne, mang.Kne, merc.Kne, phyt.1058, stry.Alle

MIND; MOANING, groaning; tendency; constant; gasping for air, and (4) : kreos.Kne, mang.Kne, merc.Kne, phyt.

MIND; MOANING, groaning; tendency; contradicted, when (1) : tarent.

MIND; MOANING, groaning; tendency; fate, about the (1) : 2kali-br.Kne

MIND; MOANING, groaning; tendency; grasping at throat, and (1) : 3Stram.Kne

MIND; MOANING, groaning; tendency; heat, with (16) : acon., 2arn., bell., cham., chin-ar., coff., eup-per., ign.Jahr, ip., lach., 2mur-ac.Kne, nux-v., podo.Kne, 3Puls., thuj., verat.

MIND; MOANING, groaning; tendency; honor, effects of wounded (1) : 2nux-v.Kne

MIND; MOANING, groaning; tendency; injury, after (3) : cham.Kne, hydr-ac.Kne, sec.Kne

MIND; MOANING, groaning; tendency; involuntary (4) : 2alum.Boe, 2cham.Boe, crot-c.Alle, 0hell.Gall

MIND; MOANING, groaning; tendency; loud (3) : mur-ac.Boer, stram.Kne, stry.Alle

MIND; MOANING, groaning; tendency; objects, about (1) : caps.Alle

MIND; MOANING, groaning; tendency; offence which happened long ago, for trifling (1) : 2cham.Kne

MIND; MOANING, groaning; tendency; pain, from (14) : 0cham.Gall, cimic.Kne, 2coff.Kne, 2coloc.Kne, crot-c.Mure, 2eup-per.Kne, horaAlle, 2hydr.Kne, lachn.Kne, lat-m.Step, mez.Kne, 0nux-v.Gall, phos.Hahn, sil.Boe

MIND; MOANING, groaning; tendency; perspiration, during (10) : acon., bar-c., bry., camph., chin., cupr., 2merc., phos., stram., verat.

MIND; MOANING, groaning; tendency; pollutions, after (1) : hipp.Alle

MIND; MOANING, groaning; tendency; restlessness, with (2) : 3Cham.Kne, 2stram.Kne

MIND; MOANING, groaning; tendency; sleep, during (77) : acon.Boe, 2ail., aloe, 2alum., am-c., anac.Jahr, ant-t.Kne, apisKen, arn.Hahn, 2ars., ars-h.Kne, 3Aur., 2bapt.Boer, 3Bar-c.Boe,

2bell.Boe, bry.Boe, bufo, cadm-s., calad.Boe, calc.Hahn, calc-p.Vith, cann-s.Kne, carb-an.Hahn, carb-v.Boer, caust.Jahr, 2cham.Boe, chin.Jahr, cic.Boer, clem., coc-c.Alle, cocc.Boe, coff., con., 2crot-c., cupr.Boer, erio.Alle, eup-per.Kne, gall-ac.Vith, 2gels.Boe, graph.Jahr, 2hell.Boer, hyos., 2ign.Boe, 2ip.Boe, 2kali-br.Kne, kali-p., kreos.Clar, lach.Boe, led.Kne, 2lyc., m-p-a.Hahn, mag-c.Jahr, merc.Hahn, 2mur-ac.Boe, najaClar, nat-m., 2nit-ac.Jahr, 2nux-v.Boe, oena.Alle, 2op., ph-ac., phos.Jahr, plb.Alle, plect.Alle, 2podo.Kne, 2puls.Boe, rheumHahn, rhus-t.Boer, 2samb.Kne, sep., sil.Boe, sol-n.Hale,, stann., 3Stram.Boe, 2sulph.Kne, 2thuj.Boe, verat.Hahn

MIND; MOANING, groaning; tendency; sleep, during; dreams, during frightful (2) : graph.Jahr, 2puls.Kne

MIND; MOANING, groaning; tendency; sleep, during; eyelids half closed, rolling of head, with (2) : 2podo.Kne, 2samb.Kne

MIND; MOANING, groaning; tendency; sleep, during; grinding of teeth, with (1) : 2kali-br.Kne

MIND; MOANING, groaning; tendency; sleep, during; perspiration, with (17) : 2acon.Boe, 2arn.Boe, bar-c.Boe, 3Bell.Boe, 2bry.Boe, 2calad.Boe, calc.Boe, 3Cham.Boe, cocc.Boe, 3Ign.Boe, 2ip.Boe, 3Mur-ac.Boe, nux-v.Boe, 2puls.Boe, 2sil.Boe, stram.Boe, 2thuj.Boe

MIND; MOANING, groaning; tendency; sleepiness, with (2) : 2cham.Kne, crot-c.Alle

MIND; MOANING, groaning; tendency; sleeplessness, with (1) : crot-h.Kne

MIND; MOANING, groaning; tendency; stretch out in a stiff, rigid manner, difficult respiration (1) : coff.Kne

MIND; MOANING, groaning; tendency; touch, on (1) : ant-t.Alle

MIND; MOANING, groaning; tendency; trifle, about every (2) : bar-c.Phat, caust.Alle

MIND; MOANING, groaning; tendency; waking, on (3) : am-c.Jahr, cann-i.Hale,, cinaJahr

MIND; MOANING, groaning; tendency; weeping, and (1) : cann-i.Hale,

HEAD; MOTIONS; of, shaking, nodding, waving; rolling head; day and night, with moaning (2) : 2hell., 2lyc.

HEAD; MOTIONS; of, shaking, nodding, waving; rolling head; moaning, with (4) : 2hell.Kne, 2lyc.Kne, merc.Phat, podo.Phat

DISTURBI COMPORTAMENTALI, BIZZARIE

MIND; FOOLISH behavior (80) : absin., acon.Jahr, aetherAlle, agar.Alle, all-c., alum.Boe, anac., anan., androc.Sherr, ant-c., 2apis, arg-n., arn.Clar, 2ars., aur.1058, bamb-a.Schu, 2bar-c.Bog, 2bar-m., 2bell.Jahr, bufoMoff, cact.Alle, calc., camph.Boe, cann-i., cann-s.Boe, canth., carb-an., carb-v., 2carl.Alle, caust.1058, cham.Jahr, 2chin., cic.Min, 2cocc.Boe, cod.Alle, con., cori-r.Alle, cortico.Mez, cot.Alle, 2croc.Mang, cub.Alle, cupr., cur.Alle, der., dulc.Boe, ferr.Boe, hell.Boe, 3Hyos.Min, ign., kali-c., lach., lact., 2lyc., meny.Clar, 2merc., mosch.Boe, 3Nat-c.Bog, nat-h.Alle, nux-m., nux-v., op.Kne, OzoneSch, par., ph-ac., 2phos.Min, phys., 2plb., pyrusAlle, rob.Alle, 2sec., seneg., sep.Boe, 3Stram.Min, sul-ac.Clar, sulph.Alle, tab.Phat, tanac., 2tarent.Boe, 2verat.Min, verb.Boe

MIND; FOOLISH behavior; morning, on waking (1) : aur.

MIND; FOOLISH behavior; night (1) : cic.

MIND; FOOLISH behavior; air, in open (1) : nux-m.

MIND; FOOLISH behavior; alternating with seriousness (1) : sul-ac.Clar

MIND; FOOLISH behavior; grotesque (3) : agar.Alle, cact.Alle, cori-r.Alle

MIND; FOOLISH behavior; happiness and pride (1) : 3**Sulph.**

MIND; FOOLISH behavior; hilarity, with riotous, and subsequent angry savageness, or tearful sorrow (1) : op.Kne

MIND; FOOLISH behavior; monkeys, like (1) : 3**Hyos.**Kne

MIND; FOOLISH behavior; shaking of the head (2) : bell.Jahr, cham.Jahr

MIND; ANSWER, answering, answers; foolish (2) : ars., bell.

MIND; AVERSION; society; shuns the foolishness of (1) : cic.

MIND; CHEERFULNESS, gaiety, happiness; tendency; foolish, and (17) : acon., agar., anac.Jahr, anan.Alle, arund.Kne, bell., calc., carb-an.Jahr, carb-v., cic.Vith, cub.Alle, hyos.Boe, merc., par., sec.Alle, seneg., 3**Sulph.**Kne

MIND; COURAGEOUS; foolish (2) : calad.Phat, 2nit-ac.Mang

MIND; DELIRIUM; foolish, silly (11) : acon., aeth., agar.Schm, bell., calc-sil.Ken, cic.Stau, hyos., merc., 2op., 2stram., sulph.Phat

MIND; DELUSIONS, imaginations; foolish (4) : 2bell.Jahr, hyos.Jahr, merc-acet.Jahr, nux-v.Jahr

MIND; GESTURES, makes; ridiculous or foolish (19) : androc.Sherr, arg-n.Alle, 2bell., cic., croc., 2cupr.Kne, 3**Hyos.**, ign., kali-p., 2lach., merc., 2mosch., 2nux-m., nux-v.Jahr, op., 2sep., 2stram.Boe, 2tarent.Schm, verat.

MIND; GESTURES, makes; ridiculous or foolish; air, in open (1) : nux-m.

MIND; GESTURES, makes; ridiculous or foolish; standing on the street, while (1) : 2nux-m.

MIND; GESTURES, makes; ridiculous or foolish; waking, on (1) : stram.Boe

MIND; INSANITY, madness; foolish, ridiculous (6) : 2bell.Jahr, cic.Jahr, 3**Hyos.**Kne, merc.Jahr, nux-m.Jahr, nux-v.Jahr

MIND; JESTING; ridiculous or foolish (8) : androc.Sherr, bell., 2cic., croc., hyos., 2stram., tanac., 2verat.

MIND; MIRTH, hilarity, liveliness; foolish (10) : acon., agar., bell., calc., 3**Cann-i.**Mang, carb-v., ery-m.Mang, merc., 2par.Mang, seneg.

MIND; JEALOUSY; foolish as it is irresistible, as (1) : 2lach.

MIND; SMILING; foolish (4) : bell., hyos.Ken, 2merc., verat.

MIND; SUSPICIOUSNESS, mistrustfulness; foolishly (1) : apisDel

MIND; THOUGHTS; foolish, in the night (1) : chin.Ken

FACE; EXPRESSION; foolish (10) : absin., acon., arg-n., 2bar-c., 3**Bufo**, kali-br., 2lyc., 2nux-m., 2phos., 2stram.

SPEECH & VOICE; SPEECH; foolish (18) : agar.Math, aur., 2bell., 0bry.Gall, bufoKen, calc.Ken, calc-sil.Ken, caust.Ken, 2chin.Kne, hyos., 2lach.Kne, merl., 2nux-m., par., 0petr.Gall, phos., 2stram.Kne, tab.

SPEECH & VOICE; SPEECH; foolish; drunkenness, during (1) : 0petr.Gall

MIND; CHEERFULNESS, gaiety, happiness; tendency; alternating with; moaning (3) : bell.Jahr, coff.Kne, stram.Jahr

MIND; DANCING; desire for; alternating with sighing, moaning (1) : bell.Hahn

MIND; LAUGHING; tendency; alternating with; whining, moaning (2) : hyos., verat.

MIND; MOANING, groaning; tendency; alternating with; laughing (3) : bell.Alle, stram.Jahr, verat.Alle

MIND; MOANING, groaning; tendency; alternating with; songs, gambols (1) : bell.Alle

MIND; IDIOCY; alternating with furor (1) : 2aeth.Her

MIND; IDIOCY; bite, desire to (2) : 3**Bell.**Schm, 3**Stram.**Schm

MIND; IDIOCY; giggling (1) : stry.Alle

MIND; IDIOCY; shrieking, with shrill (3) : 2bor.Schm, 2lac-c.Schm, 2tub.Schm

MIND; IDIOCY; unfolds handkerchief and pulls neck cloth (1) : ant-c.Alle

MIND; TALK, talking, talks; himself, to (35) : aeth.Vith, 2ant-t., apis, 2aur., bell., calc.Schm, chlol., crot-h.Boe, hydrog.Sherr, 2hyos., ign.Ken, 2kali-bi., kali-cy.Alle, Olach.Gall, m-arct.Jahr, 2mag-c.Boe, mag-p.Kne, merc., mosch., mur-ac., nux-m., Onux-v.Gall, oena., op., ph-ac., plb., pyrog., ran-b., rhus-t., staph.Vith, stram., sul-ac.Vith, tab., tarax., vip.

MIND; TALK, talking, talks; himself, to; constantly (1) : 2mag-p.Kne

MIND; TALK, talking, talks; himself, to; gesticulates, and (1) : mosch.Phat

MIND; TALK, talking, talks; himself, to; only when alone (3) : 2lach.Schm, 2nux-v.Schm, 3Stram.Schm

MIND; EXCITEMENT, excitable; tendency; alternating with; taciturn, afternoon (1) : thiop.Juli

MIND; JESTING; alternating with; taciturnity (1) : plat.Jahr

MIND; LAUGHING; tendency; alternating with; taciturnity (1) : plat.Jahr

MIND; COMPANY; aversion to, agg.; wandering from place to place (1) : cimic.Kne

MIND; FEAR; bed; of the; sit up and wander about the house as for them the nights are too long and restlessness comes with approaching day (1) : syph.Faya

MIND; AVERSION; family members, to; incipient stage of dementia, in (1) : 2crot-h.Kne

MIND; DELIRIUM; loquacious; dementia, like that of (1) : 2stram.Kne

MIND; DELUSIONS, imaginations; persecuted, that he is; dementia, in (1) : thiop.Juli

MIND; IMBECILITY; rage, stamps the feet (5) : anac.Schm, lyc.Schm, nux-v.Schm, op.Schm, verat.Schm

MIND; MISCHIEVOUS; imbecility, in (1) : 2merc.Kne

MIND; CHILDISH behavior; old people, in (1) : 3Bar-c.Kne

MIND; IRRITABILITY; old, childish people, in (1) : sulph.Phat

MIND; MOCKING; old people, in (1) : tarent.Kne

Total	Bell.	Sram.	Hyos.	Nux-m.	Merc.	Cic.	Verat.	Lach.	Sulph.	Op.	Nux-v.	Agar.	Bar-c.	Nat-h.	Par.	Acon.	Mosch.	Aur.	Tarent.	Calc.	Bufo	Aeth.	Thiop.	Lyc.	Phos.	Croc.	Cann-i.	Cori-f.	Apis	Androc.	Seneg.	Mag-p.	Anac.
Rubrics	25	25	21	13	12	9	9	9	7	7	7	6	5	6	7	3	1	5	5	5	5	5	5	4	2	5	4	4	2	4	3	3	3
Kingdoms	18	13	12	9	9	8	7	6	5	6	7	6	5	6	7	3	1	4	5	3	5	5	5	4	2	5	4	2	4	3	3	2	3
MIND; FOOLISH behavior (80)																																	
FOOLISH behavior; morning, on waking (1)																																	
MIND; FOOLISH behavior; night (1)																																	
MIND; FOOLISH behavior; air, in open (1)																																	
FOOLISH behavior; alternating with ... (1)																																	
MIND; FOOLISH behavior; grotesque (3)																																	
FOOLISH behavior; happiness and pride (1)																																	
FOOLISH behavior; hilarity, with riotous, ... (1)																																	
MIND; FOOLISH behavior; monkeys, like (1)																																	
FOOLISH behavior; shaking of the head (2)																																	
ANSWER, answering, answers; foolish (2)																																	
AVERSION; society; shuns the ... (1)																																	
CHEERFULNESS, gaiety, happiness; ... (17)																																	
MIND; COURAGEOUS; foolish (2)																																	
MIND; DELIRIUM; foolish, silly (11)																																	
MIND; DELUSIONS...imagination... foolish (4)																																	

DISTURBI FISICI NEGLI ANZIANI

VERTIGO; OLD PEOPLE, in (24) : alum.Boe, 2ambr., arn.Boe, 2ars-i.Boer, aur.Boe, 2bar-c., bar-m.Boer, bell-p.Boer, bry.Phat, calc-p., con.Boe, 2cupr., dig.Boer, fl-ac.Boe, 0galph.Dock, 2gran., 2iod.Boer, op.Boer, phos.Boer, 2rhus-t., sec.Boe, 2sin-n., stroph.Boer, sulph.Boer

HEAD; HEAVINESS; old people (1) : bar-m.Boer

HEAD PAIN; GENERAL; chronic; old people, of (4) : bar-c.Boer, calc-p.Boer, iod., phos.Boer

HEAD PAIN; GENERAL; old people, of (10) : am-c., ambr., bry.Schm, calc.Schm, cypr.Boer, iod., lyc.Schm, nat-m.Schm, sil.Schm, sulph.Schm

EYE; CATARACT, opacity of lens; old people, in (5) : am-c.Mang, 2carb-an., con.Jahr, rob.Mang, 2sec.

EYE; FALLING of lids; old people (1) : alum.Kne

EYE; INFLAMMATION; old people, in (1) : alum.Boer

VISION; CROOKED; lines; old people, in (1) : phos.Boer

VISION; DIM; old people (5) : 3Aur.Schm, 2bar-c., caust.Schm, 2phos.Schm, sil.Schm

HEARING; IMPAIRED; old people (9) : bar-c., 2cic., cocaHer, kali-chl.Boe, 2mag-c.Schm, merc-d.Boe, 2petr., phos.Kne, sil.Schm

NOSE; CATARRH; old people, in (9) : 2alum., am-c., bar-c., calc.Gheg, eup-per., ictod., kali-s., 2kreos., merc-i-f.

NOSE; CORYZA; old people (5) : 2am-c., anac.Kne, ant-c.Phat, camph.Phat, Osul-i.Dock

NOSE; CORYZA; old people; palpitations, with (1) : anac.Kne

NOSE; EPISTAXIS; old people (14) : 2agar., aur.Boe, bar-c.Boe, bov.Boe, 2carb-v., chin.Bog, con.Boe, ferr-p.Bog, ham., lach.Schm, 4SEC.Schm, sil.Boe, sul-ac., verat.Bog

MOUTH; PARALYSIS; Tongue; old people (3) : 2bar-c., gels.Schm, 2plb.Schm

THROAT; CHOKING, constricting; old people, in (1) : 2bar-c.Schm

THROAT; SPASMS, spasmotic constriction, convulsions etc.; Esophagus; swallow liquids, can only; old people (1) : 2bar-c.

STOMACH; INDIGESTION; old people, in (24) : abies-n.Boer, all-s.Mang, ant-c.Boe, ars.Boer, 2bar-c.Boe, calc.Schm, carb-v.Boe, 2chin-s., 2cic.Boe, dios.Schm, eup-per.Kne,

fl-ac.Boer, hep.Schm, 2hydr.Boer, kali-c.Farr, Olyc.Dock, 2nat-c.Schm, nux-m.Boe, nux-v.Boe, puls.Schm, 2sep.Schm, sil.Schm, sul-ac.Schm, sulph.Schm

ABDOMEN; FLATULENCE; old people (6) : arg-n.Schm, 2carb-ac., carb-v.Schm, kali-c.Ken, lyc.Schm, 2phos.

ABDOMEN; LIVER and region of, ailments of; old people (1) : 2kali-c.Ken

RECTUM; CONSTIPATION; alternating with diarrhea; old people, in (8) : alum.Bog, 3**Ant-c.**, bry., cycl.Bog, nux-v., nyct.Anshu, 3**Op.**Schm, 2phos.

RECTUM; CONSTIPATION; old people (40) : aloe, alum., alumn., ambr.Boe, 2ant-c., ant-s.Boe, ant-t.Boe, arn.Boe, 2bar-c., 2bry., calc.Ken, calc-f.Schm, 2calc-p., 2con., cycl.Bog, ferr.Ken, graph.Schm, hep.Schm, hydr.Boer, ign.Schm, 2kali-m.Schm, 2lach., lyc.Boer, mag-m.Schm, nat-m.Schm, nit-ac.Schm, 2nux-v., 2op., 2phos., 2phyt., 2podo.Her, 2psor.Kne, rhus-t., ruta, 2sel.Boer, sep.Schm, sil.Schm, sil-mar.Schm, 2sulph., thuj.Schm

RECTUM; DIARRHEA; old people, in (28) : 3**Aloe**Kne, 3**Ant-c.**, 3**Ars.**Kne, ars-i., bapt.Boer, bov.Boer, calc.Schm, 2carb-v., 2chin.Boer, coff.Kne, coff-t.Kne, con.Kne, crot-h.Kne, 2fl-ac., 3**Gamb.**, indg.Tes, 2iod.Schm, kreos., nat-s., 3**Nit-ac.**, nux-v., op., phase.Anshu, phos., rumx.Ken, sec., sul-i.Ken, sulph.

RECTUM; DIARRHEA; old people, in; morning (1) : 3**Ars.**Kne

RECTUM; DIARRHEA; old people, in; colic, with (1) : 3**Aloe**Schm

RECTUM; DIARRHEA; old people, in; chronic, night and early morning agg. (1) : bov.Boer

RECTUM; DIARRHEA; old people, in; men (2) : con.Kne, indg.Tes

RECTUM; DIARRHEA; old people, in; painful (1) : carb-v.Boer

RECTUM; DIARRHEA; old people, in; prematurely, with syphilitic mercurial dyscrasia (1) : 2fl-ac.

RECTUM; DIARRHEA; old people, in; weakness, with great (1) : 3**Nit-ac.**Schm

RECTUM; DIARRHEA; weather; hot, in; old people (1) : gamb.Ken

RECTUM; DYSENTERY; old people (1) : bapt.Boer

BLADDER; CATARRH, muco-pus; old people, in (6) : 2alum.Schm, 2alumn., 2carb-v., kali-p.Ken, sulph., 2ter.

BLADDER; PARALYSIS; old people, in (22) : apis.Schm, 3**Ars.**, bell.Schm, camph.Schm, 2cann-s., canth.Schm, 2caust.Schm, 2cic., con., 2equis., 2gels., kali-p., lach.Schm, lyc.Schm, mur-ac.Schm, nat-m.Schm, op.Schm, phos.Schm, 2sec., sil.Schm, 2sulph.Schm, thuj.

BLADDER; URINATION; dribbling by drops; involuntary; old people, in (7) : arg-n.Boe, bar-c.Boe, bry.Boe, canth.Boe, con.Boe, cop.Clar, rhus-a.Boe

BLADDER; URINATION; dribbling by drops; involuntary; old people, in; cold, from (1) : cop.Clar

BLADDER; URINATION; dribbling by drops; old people, in (10) : all-c.Phat, arg-n.Boe, bar-c.Phat, bry.Boe, canth.Boe, cic.Phat, con.Phat, equis.Phat, nux-v.Phat, rhus-a.Boe

BLADDER; URINATION; dysuria; old people (1) : 2benz-ac.Schm

BLADDER; URINATION; frequent; old people (10) : 2bar-c.Mang, calc.Schm, con.Schm, ferr-p.1058, 2lyc.Schm, merc.Schm, nat-c.Mang, ph-ac.Schm, 2sep.Mang, 2sulph.Mang

BLADDER; URINATION; frequent; old people; enlarged prostate, with (2) : 2con.Schm, 2ferr-p.

BLADDER; URINATION; involuntary; old people, in (29) : 2all-c., all-s.1058, aloe, am-be.Boer, apis, apoc.Boe, 2arg-n.Boer, arist-cl.Mez, 2ars., 2aur-m., 2benz-ac.Boer, cann-s., canth.Boer, carb-ac.Phat, 2cic., dam.Hale,, dig.1058, equis.Boer, gels., 2iod., kali-p., nit-ac.Boer, nux-v.1058, pareir.1058, phos., rhus-a.Boe, 2sec., seneg.Boer, 2thuj.

BLADDER; URINATION; involuntary; old people, in; men with enlarged prostate (11) : 2all-s., 2aloe, apoc.Boe, 2cic., dig., 2iod., kali-p., nux-v., 2pareir., 2sec., 2thuj.

BLADDER; URINATION; involuntary; old people, in; women (1) : arist-cl.Mez

BLADDER; WEAKNESS; old people (10) : alum.Boer, ars.Schm, 2benz-ac.Boer, carb-ac.Boer, clem.Boer, con.Boer, gels.Schm, 2pop.Boer, sel.Boer, 2staph.Boer

PROSTATE; ENLARGEMENT; old people (27) : all-s.Ken, aloe, 2arg.Mang, asaf.Farr, 3**Bar-c.**, 2benz-ac., 2calc.Kne, 2cic.Kne, 2con., 3**Dig.**, 2ferr-pic.Boer, 2iod., kali-p.Ken, lyc.Schm, mur-ac.Schm, nat-c.Ken, nux-v., pareir.Schm, puls.Ken, 2sabal.Schm, sec.Ken, 3**Sel.**, sil.Schm, 2staph., sulph., terebe.Schm, thuj.Schm

URETHRA; PAIN; General; urination; during; old people (1) : polytr.Boer

MALE; ERECTIONS, troublesome; wanting, impotency; old people, in (2) : 3**Lyc.**Kne, mosch.Clar

LARYNX & TRACHEA; CATARRH; old people, in (6) : 2ammc., 2ant-t., 2ars., 3**Bar-c.**, 2hydr., 3**Seneg.**

SPEECH & VOICE; SPEECH; murmuring; old people, in (1) : 2bar-c.Kne

RESPIRATION; ASTHMATIC; old people, in (52) : am-c.Schm, am-i.Kne, 2ambr., 2ant-ar.Schm, ant-c.Kne, ant-t.Kne, apisSchm, 3**Ars.**, aur.Kne, 2bar-c., bar-m.Boer, 2blattaSchm, calc.Schm, calc-s.Kne, camph.Kne, carb-an.Schm, 2carb-v., caust.Kne, chin.Kne, cocaSchm, 2con., dig.Schm, graph.Schm, hep.Schm, ip.Kne, 2kali-ar.Schm,

2kali-bi.Schm, 2kali-c.Schm, 2kali-p.Schm, lach.Kne, lyc.Lipp, med.Gheg, naphtin.Schm, nat-c.Schm, nat-m.Schm, 3**Nat-s.**Gheg, nux-v.Schm, op.Kne, phel., phos.Lipp, 2plb.Schm, 2plb-i.Schm, ptel.Kne, pulm-v.Kne, 2puls.Schm, sec.Schm, seneg.Phat, sep.Schm, sil.Kne, sulph., teucr.Kne, verat.Schm

RESPIRATION; DIFFICULT; old people (8) : ars.Schm, 2bar-c., carb-v.Schm, 2chin., kali-c.Schm, phos.Schm, 2seneg.Schm, sulph.Schm

RESPIRATION; RATTLING; old people (10) : 2ammc., 2ars.Her, 2bar-c., carb-v.Farr, 3**Hippoz.**, 2kali-bi., kali-c.Schm, 2lyc., nat-s.Schm, 2seneg.

COUGH; CONVULSIVE, spasmodic; old people (2) : 2ambr., 2ip.

COUGH; OLD PEOPLE (38) : alum., alumn., 2am-c., 2ambr., 2ammc., ant-c., 0ant-i.Dock, 2ant-t., 2bar-c., bar-m.Boer, 2bor.Alle, calc.Schm, camph., 2carb-v.Boer, con., dulc.Choud, hep.Schm, hydr., hyos., ichth.Boer, iod.Her, ip., kali-bi.Schm, kali-c.Schm, kali-s.Schm, kreos., 2lyc.Schm, med.Schm, myrt-c.Boer, nat-s.Schm, 2psor., rhus-t.Boer, sal-ac.Clar, sang.Clar, 2seneg., sil.Boer, 2stict.Boer, sulph.Schm

COUGH; OLD PEOPLE; morning, chronic (1) : alumn.

COUGH; OLD PEOPLE; night (2) : hyos., sal-ac.Clar

COUGH; OLD PEOPLE; Winter (4) : am-c., ichth.Boer, 2kreos., psor.

COUGH; RATTLING; old people (10) : 2ammc., ant-t.Schm, bar-c.Ken, carb-v.Schm, 3**Hippoz.**, 2kali-bi., 3**Kali-s.**Schm, 2seneg., sil.Schm, sulph.Schm

EXPECTORATION; DIFFICULT; old people (5) : 2ammc., ant-t.Schm, arum-t.Hale,, bar-c.Schm, caust.Schm

EXPECTORATION; MUCOUS; old people (1) : 2ammc.

EXPECTORATION; PROFUSE; old people (7) : 2ammc., 2ant-t., 2ars., 3**Bar-c.**, kreos., lyc.Schm, 2seneg.Ken

EXPECTORATION; PURULENT; old people, in (1) : nat-s.Ken

CHEST; CANCER; Mamme; old people or past the middle age (2) : con.Kne, phyt.Kne

CHEST; CATARRH; old people (10) : 2ammc., 2ant-t., bals-p.Hale,, 3**Bar-c.**, 2chin., hydr.Ken, 2nat-s., phel., 3**Seneg.**, 2tub.

CHEST; COMPLAINTS of the; Heart; indigestion, with, in functional heart symptoms of old people (1) : crat.Cow

CHEST; COMPLAINTS of the; Heart; old people, in (16) : am-caust.Kne, arn.Kne, ars.Kne, ars-i.Kne, cact.Kne, chin.Kne, chin-ar.Kne, con.Kne, crat.Clar, cupr.Lipp, dig.Kne, ferr-p.Kne, lach.Kne, lat-m.Kne, nux-v.Kne, visc.Kne

CHEST; EMPHYSEMA, bronchiectasis; old people, in (2) : led.Clar, lob.Phat

CHEST; INFLAMMATION; Bronchial tubes, bronchitis; old people (26) : all-c.Phat, 2am-c., ammc.Clar, ant-c.Phat, ant-t.Phat, ars.Phat, bac.Boer, bry.Schm, 2camph., 2carb-v., 2dros., eucal.Boer, hep.Schm, 3**Hippoz.**, 2hydr., ichth.Boer, 2kali-c.Schm, kreos.Phat, 2lyc., nat-s.Schm, 2nux-v., 2phos.Schm, puls.Schm, seneg.Phat, sil.Schm, sulph.Schm

CHEST; INFLAMMATION; Heart; myocardium; old people (2) : asar.Juli, iber.Juli

CHEST; INFLAMMATION; Lungs; old people (27) : 3**Acon.**Boe, ant-ar.Boer, 2ant-t.Boer, ars.Boe, 2bell.Boe, 2bry., 2carb-v.Ken, cham.Boe, chel.Schm, 2dig., 2ferr., 2ferr-p.Boe, gels.Boe, 2hyos., ip.Boe, 2kali-c.Schm, lach.Schm, lyc.Schm, 2merc.Boe, 2nat-s., 2nit-ac., 2nux-v., 2op., phos.Schm, 2seneg., sulph.Schm, verat.Boe

CHEST; INFLAMMATION; Pleura; old people (5) : carb-an.Schm, 2kali-c.Schm, 2nit-ac., phos.Schm, sil.Schm

CHEST; PARALYSIS; Lung; old people (12) : 2ant-t., 2ars., aur.Boe, 3**Bar-c.**, 2carb-v., 3**Chin.**, con.Boe, 3**Lach.**Boe, lyc., 2op., phos., verat.Boe

EXTREMITIES; ATAXIA; old people, in (1) : 2bar-c.Kne

EXTREMITIES; COLDNESS; Hands; old people (1) : bar-c.

EXTREMITIES; DISCOLORATION; blue; hand; spots; old people, in (1) : bar-c.

EXTREMITIES; GANGRENE; old people (8) : all-c.Boer, am-c.Boer, ars.Boer, carb-v.Phat, euph.Phat, ph-ac.Phat, 3**Sec.**Phat, sul-ac.Boer

EXTREMITIES; GANGRENE; Toes; old people (7) : ars.Schm, 2carb-an., 2carb-v., cupr., 2ph-ac., 4**SEC.**Schm, sul-ac.Geuk

EXTREMITIES; NAILS; complaints of; brittle; fingernails; old people, in (1) : ambr.Kne

EXTREMITIES; PERSPIRATION; Foot; offensive; old people (1) : bar-c.Boer

EXTREMITIES; PARALYSIS; old people (21) : alum.Schm, alumn.Schm, 2arg-n.Schm, ars.Schm, 2bar-c., calc.Schm, 2con., 2gels.Schm, graph.Schm, 2kali-c., kali-p.Schm, lach.Schm, lyc.Schm, merc.Schm, nat-m.Schm, op.Schm, phos.Schm, rhus-t.Schm, 2sil.Schm, sulph.Schm, zinc.Schm

EXTREMITIES; TREMBLING; General; old people (5) : aran.Mez, aran-ix.Mez, con.Mez, hipp.Mang, zinc.Mez

SLEEP; COMATOSE; old people, in (1) : op.Phat

SLEEP; FALLING ASLEEP; fever; during; children and old people, in (1) : 2op.Kne

SLEEP; SLEEPINESS; heat; during; children and old people, in (1) : 2op.Kne

SLEEP; SLEEPINESS; old people, in (1) : ant-c.Boer

SLEEP; SLEEPLESSNESS; old people (9) : 2acon.Kne, ars.Boer, 2bar-c., carc.Juli, op.Boer, passi.Boer, 2phos.Boer, sulph.Schm, **3Syph.**Schm

FEVER, HEAT; SLEEP; heat comes on during; children and old people, in (1) : 2op.Kne

SKIN; DISCOLORATION; dark; spots; old people (10) : ars., aur., bar-c., 2carb-an., 2con., euphr.Schm, 2lach., 2lyc., op., 2sec.

SKIN; DISCOLORATION; spots; death spots in old people (8) : ars., aur., bar-c., 2con., 2lach., 2lyc., op., 2sec.

SKIN; ERUPTIONS; petechiae; old people, in (1) : 2con.

SKIN; ERUPTIONS; scaly; scratching, after; old people (5) : arg-n.Boe, bar-c.Boe, con.Boe, mag-p.Boe, sul-ac.Boe

SKIN; ERYSIPelas; old people (4) : am-c., carb-an.Boer, graph.Schm, zinc-acet.Clar

SKIN; GANGRENE, from burns or gangrenous sores; old people (16) : all-c.Boer, am-c.Boer, am-m.Kne, 2ars.Boe, 2carb-v., chin.Kne, con.Kne, cupr.Ken, euph.Kne, kreos.Boe, **3Lach.**Kne, 2ph-ac.Kne, 2plb.Boe, sars.Ken, **3Sec.**, sul-ac.Boer

SKIN; ITCHING; old people (13) : alum.Phat, ars.Boe, bar-acet.Boer, dulc.Phat, fago.Boer, fl-ac.Mez, kreos.Boe, merc.Boe, 2mez., olnd.Boe, op.Boe, sulph.Boe, urt-u.Phat

SKIN; PURPURA; old people (9) : ars., bar-c., bry., con., 2lach., op., rhus-t., **3Sec.**, sul-ac.

SKIN; ULCERS; old people (3) : pyrog.Alle, 2sec.Her, tarent-c.Boer

GENERALITIES; CONVULSIONS; old people, in (1) : plb.Mez

GENERALITIES; DROPSY; external; old people, in (1) : **3Kali-c.**Schm

GENERALITIES; EMACIATION; old people (16) : 2ambr., anac.Boe, 3**Bar-c.**, carb-v.Boe, chin.Boe, chin-s.Jahr, 2fl-ac.Boe, 3**Iod.**, 3**Lyc.**, nit-ac.Boe, op.Boe, plb.Geuk, rhus-t.Boe, 2sec., 2sel., 2sil.Schm

GENERALITIES; OLD; people, complaints in (107) : acet-ac.Clar, 2acon., 2agar., 2agn.Boer, 2all-s.Schm, 2aloe, 2alum.Boe, alumn., 2am-c., am-m.Schm, 3**Ambr.**, 2ammc., 2anac., 2ant-c., ant-t., apisClar, 2arg-n.Boer, 2arn.Boe, 2ars., ars-s-f.Ken, 3**Aur.**, bac.Boer, bapt.Clar, 3**Bar-c.**, 2bar-m.Boer, bov.Phat, 2bry.Schm, calc.Boe, 2calc-p., camph., cann-i.Boer, caps.Boer, 2carb-an., 2carb-v., 0carc.Dock, 2caust., 2cham.Clar, chin.Boe, chin-s.Jahr, cic., cit-v.Boer, 3**Coca**, cocc.Boe, 2colch., 2con., crat.Boe, crot-h.Boer, cupr.Ken, dig.Schm, 2fl-ac., gamb.Schm, gins.Boe, 2graph.Clar, 2hydr.Boe, hydrog.Sherr, hyos.Boe, 2iod., 2irid.Clar, 2irisSchm, kali-ar.Schm, kali-bi.Schm, 3**Kali-c.**, kreos.Boe, 3**Lach.**Boe, lil-t.Phat, 3**Lyc.**, mag-f.Juli, mag-m.Phat, merc.Schm, 2mill.Kne, nat-c.Schm, 2nat-m., nat-s.Clar, 2nit-ac., nux-m.Boer, nux-v.Boe, 3**Op.**, orch.Clar, 2ov.Boer, perh.Juli, ph-

ac.Boe, 2phos.Boe, plat.Phat, puls.Schm, rhus-t.Boe, rutaBoe, sabad., sabal.Phat, sanic.Boe, sarcol-ac.Juli, sars.Boe, 3**Sec.**, 3**Sel.**, 2seneg., sep.Schm, 2sil.Schm, squil.Phat, sul-ac., 2sulph.Schm, sumb.Boe, syph.Boe, 3**Teucr.**Schm, thiosin.Boer, thuj.Schm, tub.Boe, 2verat.Boe, zinc.Schm

GENERALITIES; OLD; people, complaints in; decay (12) : 2agn.Boer, 2arg-n.Boer, ars.Boer, 2bar-c.Boer, cann-i.Boer, 2con.Boer, fl-ac.Boer, iod.Boer, 2lyc.Boer, 2ov.Boer, phos.Boer, thiosin.Boer

GENERALITIES; PARALYSIS; old people, of (5) : 2bar-c., 2con., 2kali-c., 3**Op.**Kne, stry-ar.Boer

GENERALITIES; PULSE; hard; old people, in (1) : 3**Ant-t.**Kne

GENERALITIES; PULSE; intermittent; old people, in (2) : bapt.Boer, tab.Schm

GENERALITIES; PULSE; slow, brachycardia; old people, in (1) : gels.Boe

GENERALITIES; REACTION; lack of; old people, in (1) : con.Boe

GENERALITIES; TREMBLING; old people, in (17) : alum.Schm, ambr.Schm, aur.Schm, aven.Boer, bar-c.Boe, calc.Boe, con.Boe, kali-c.Schm, 2merc., op.Schm, phos.Schm, plb.Boe, plb-acet.Stau, sil.Boe, stront-c.Boe, sulph.Boe, zinc.Schm

GENERALITIES; WEAKNESS, enervation, exhaustion, prostration, infirmity; mental exertion, occupation; agg. from; old people, in (1) : caps.Boer

GENERALITIES; WEAKNESS, enervation, exhaustion, prostration, infirmity; old people (17) : 2ambr., 2ant-t.Ken, aur., 3**Bar-c.**, carb-v.Boer, carbn-s.Ken, 2con., 2cur., eup-per.Boer, glyc.Boer, nit-ac.Boer, 2nux-m., op., 2phos., sec., 2sel., 2sul-ac.

GENERALITIES; WEAKNESS, enervation, exhaustion, prostration, infirmity; sudden; old people, in
(1) : kali-cy.Schm

GENERALITIES; WEATHER; cold, wet; agg.; old people, in (1) : ammc.Clar

Total	Bar-c.	Con.	Ars.	Sec.	Op.	Phos.	Lyc.	Carb-v.	Kali-c.	Sulph.	Ant-t.	Seneg.	Ammc.	Lach.	Sil.	Ambr.	Iod.	Alum.	Am-c.	Nux-v.	Ant-c.	Cit-v.	Nil-ac.	Chin.	Aur.	Cic.	Nat-s.	Calc.	Bry.	Aloe	Sel.	Arg-n.	Fr-ac.	Kreos.
Rubrics	76	44	41	41	35	31	33	31	26	24	23	23	20	23	20	19	19	16	16	16	16	16	16	16	15	14	14	13	13	13	12	12	11	
Kingdoms	42	32	26	19	23	23	21	20	15	20	14	12	11	13	13	17	11	11	13	13	13	13	10	10	10	10	10	10	10	10	10	10		
VERTIGO; OLD PEOPLE, in (24)	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■			
HEAD; HEAVINESS; old people (1)	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■			
GENERAL; chronic; old people, of (4)	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■			
HEAD PAIN; GENERAL; old people, of (10)	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■			
CATARACT, opacity of lens; old people, in (5)	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■			
EYE; FALLING of lids; old people (1)	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■			
EYE; INFILTRATION; old people, in (1)	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■			
VISION; CROOKED; lines; old people, in (1)	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■			
VISION; DIM; old people (5)	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■			
HEARING; IMPAIRED; old people (9)	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■			
NOSE; CATARRH; old people, in (9)	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■			
NOSE; CORYZA; old people (5)	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■			
CORYZA; old people; palpitations, with (1)	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■			
NOSE; EPISTAXIS; old people (14)	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■			
MOUTH; PARALYSIS; Tongue; old people (3)	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■			
CHOKING, constricting; old people, in (1)	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■			

SINTOMI NEGATIVI 2 (AVV. PARLARE, RITIRO, PENSIERI CHE SVANISCONO,..)

MIND; TALK, talking, talks; indisposed to, desire to be silent, taciturn (266) : abrot., 2acon.Alle, aeth.Alle, aetherAlle, 2agar., agra.Boer, alco.Alle, aloe, alum., alum-p.Ken, alum-sil., am-c.Alle, am-m., ambr., amyg-am.Alle, anac.Jahr, androc.Sherr, anh.Stau, 2ant-c., ant-m.Alle, ant-t.Boer, apisAlle, apoc.Kne, aran.Muz, 2arg., arg-m.Alle, 2arg-n.Kne, 2arn.Hahn, 2ars.Jahr, ars-s-f.Ken, ars-s-r.Kne, arum-m.Kne, 2arund.Kne, asar.Boe, astac.Alle, aster., atro., 3Aur., aur-ar.Ken, aur-s.Ken, 2bac.Burn, bamb-a.Schu, bapt.Kne, 2bar-c.Jahr, bar-m., 2bell.Hahn, berb., bism.Hahn, bor.Jahr, 2both-l.Alle, bov., bran.Alle, brom., bry., bufo, bufo-s.Alle, buth-aust.Step, cact., cadm-s.Mez, 2calc., calc-p., calc-s., calc-sil.Ken, camph., cann-i., cann-s., canth., 2caps., carb-ac., 3Carb-an., 2carb-v., carbn-o.Alle, carbn-s., carc.Step, carl., cast., 2caust., cham., chel.Alle, 2chin., chin-ar., chin-s.Alle, chlf.Alle, chlol.Boe, cic., 2cimic., cina, clem.Hahn, 3Cocc.Jahr, cod.Alle, coff., 3Coff-t.Mang, colch., 2coloc., con., cortico.Juli, cortiso.Step, cot.Alle, croc.Alle, crot-c., crot-h.Alle, crotot., cupr.Alle, cupr-acet.Alle, cycl., dig., dios.Kne, dirc., dros.Hahn, dulc.Alle, elaps1058, ery-m.Alle, 2euph.Boe, euphr., eupi.Min, fago., 2ferr., ferr-ar., ferr-m.Alle, ferr-ma.1058, ferr-p., fl-ac.Ken, 2gels.Alle, gent-c.Alle, germ.Sherr, 3Glon., graph., grat., guai., ham.Alle, 2hell.Kne, helon., 2hep.Alle, hipp.1058, hist.Mez, hydr., hydr-ac.Kne, hydrog.Sherr, 2hyos., 2ign.Boe, iod., ip., jab.Alle, jatr., jug-r.Alle, just.Mez, kali-ar., kali-bi., kali-br.Alle, kali-c.Hahn, kali-chl.Ken, kali-cy.Alle, kali-n.Alle, kali-p., kali-s., kali-sil.Ken, Okreos.Dock, lac-ac.Kne, lac-d., lach.Jahr, lap-gr-m.Eis, laur.Alle, led., lil-t., linu-u.Alle, lol.Alle, 2lyc., 2lycps.Kne, m-arct.Jahr, m-aust.Boe, mag-c.Kne, 2mag-m., mag-s., manc., 2mang., med.Cand, meny., 2merc.Alle, merc-c.Alle, merc-d.Alle, mez., moly.Juli, mosch.Boe, 2mur-ac.Kne, murx., myric., najaGlad, nat-acet.Alle, nat-ar., nat-c., 2nat-m., nat-p.Alle, 2nat-s., nat-sil.Ken, nicc., 2nit-ac.Jahr, nux-m.Boe, 4NUX-V.1058, oena.Alle, oeno.Alle, ol-an., olnd.Alle, onos., op., orig.Alle, ox-ac.Kne, oxyt., OozoneSch, pall.Kne, passi.Alle, peti.Alle, petr., 3Ph-ac.Jahr, 3Phos., phys.Alle, 2pic-ac.Alle, pip-m., 3Plat.Jahr, 2plib.Alle, plumbg.Alle, psil.Flor, ptel., 3Puls.Kne, rheum, 2rhus-t., sabad., sabin., sac-alb.Alle, sars., sec.Boe, senec.1058, sep., seq-s.Birc, sil., sol-t.Alle, spig., spong., squil., 2stann.Kne, 2staph.Kne, 2stram., stront-c., stry.Alle, sul-ac.Alle, 3Sulph., tab., tarax., 2tarent.Kne, tart-ac.Alle, tep.Alle, thea.Jahr, 2thuj.Kne, tong.Jahr, trich-d.Anshu, tril-c.Alle, tub.Boe, ust., 3Verat.Hahn, verat-v.Alle, vesp.Alle, viol-o., viol-t., vip.Alle, visc.Alle, 3Zinc., zinc-p.Ken

MIND; FEAR; taciturn, after (1) : 2ign.Kne

MIND; INDIFFERENCE, apathy; taciturn (7) : bac.Burn, bamb-a.Schu, calc.Jahr, 2hell.Kne, 2nit-s-d.Kne, plat.Jahr, staph.Jahr

MIND; IRRITABILITY; taciturn (6) : am-c.Jahr, ars.Jahr, calc.Kne, coloc.Jahr, puls.Jahr, sulph.Jahr

MIND; JESTING; alternating with; taciturnity (1) : plat.Jahr

MIND; LAUGHING; tendency; alternating with; taciturnity (1) : plat.Jahr

MIND; EXCITEMENT, excitable; tendency; alternating with; taciturn, afternoon (1) : thiop.Juli

MIND; TALK, talking, talks; indisposed to, desire to be silent, taciturn; morning (7) : cocc., hep.Alle, mag-m., nat-s., sabin., tarax., thuj.1058

MIND; TALK, talking, talks; indisposed to, desire to be silent, taciturn; morning; rising, after (1) : hep.Alle

MIND; TALK, talking, talks; indisposed to, desire to be silent, taciturn; morning; waking, on (2) : cocc., thuj.

MIND; TALK, talking, talks; indisposed to, desire to be silent, taciturn; morning; walking, while (2) : sabin., thuj.

MIND; TALK, talking, talks; indisposed to, desire to be silent, taciturn; forenoon (3) : aeth., hipp., nat-m.

MIND; TALK, talking, talks; indisposed to, desire to be silent, taciturn; afternoon (8) : anac.Alle, fago., grat., hell., mag-s., nat-ar., nat-m., sep.

MIND; TALK, talking, talks; indisposed to, desire to be silent, taciturn; afternoon; sleep, after (1) : anac.Alle

MIND; TALK, talking, talks; indisposed to, desire to be silent, taciturn; evening; agg. (5) : am-m., kali-c.Hahn, 2ph-ac., 2plat., **3Zinc.**

MIND; TALK, talking, talks; indisposed to, desire to be silent, taciturn; evening; amel. (2) : bism.Hahn, clem.

MIND; TALK, talking, talks; indisposed to, desire to be silent, taciturn; night (1) : am-c.Alle

MIND; TALK, talking, talks; indisposed to, desire to be silent, taciturn; midnight, on waking (1) : cot.Alle

MIND; TALK, talking, talks; indisposed to, desire to be silent, taciturn; air, in open (2) : ph-ac.Stau, plat.

MIND; TALK, talking, talks; indisposed to, desire to be silent, taciturn; alternating with; jesting (1) : plat.Jahr

MIND; TALK, talking, talks; indisposed to, desire to be silent, taciturn; alternating with; laughing
(1) : plat.Jahr

MIND; TALK, talking, talks; indisposed to, desire to be silent, taciturn; alternating with;
quarrelsomeness (1) : 2con.

MIND; TALK, talking, talks; indisposed to, desire to be silent, taciturn; alternating with; violence
(1) : aur-ar.Ken

MIND; TALK, talking, talks; indisposed to, desire to be silent, taciturn; anger, during (1) : croc.Alle

MIND; TALK, talking, talks; indisposed to, desire to be silent, taciturn; bilious attacks, in (1) :
2lach.Kne

MIND; TALK, talking, talks; indisposed to, desire to be silent, taciturn; closed sensation in throat,
with (1) : nat-p.Alle

MIND; TALK, talking, talks; indisposed to, desire to be silent, taciturn; company, in (2) : arg.Ken,
hydrol.Sherr

MIND; TALK, talking, talks; indisposed to, desire to be silent, taciturn; condition, about her (1) :
chel.Alle

MIND; TALK, talking, talks; indisposed to, desire to be silent, taciturn; cough, after (1) : cupr.Alle

MIND; TALK, talking, talks; indisposed to, desire to be silent, taciturn; die, as if he would (1) :
2mur-ac.Kne

MIND; TALK, talking, talks; indisposed to, desire to be silent, taciturn; eating, after (5) : aloe, arg-
n., ferr-ma., mez., plb.

MIND; TALK, talking, talks; indisposed to, desire to be silent, taciturn; excitement, on (1) :
merc.Alle

MIND; TALK, talking, talks; indisposed to, desire to be silent, taciturn; foreign language which at
other times he speaks fluently (1) : pall.Kne

MIND; TALK, talking, talks; indisposed to, desire to be silent, taciturn; fright, after (1) : 2ign.Kne

MIND; TALK, talking, talks; indisposed to, desire to be silent, taciturn; heat, during (12) :
aeth.Alle, ars.Jahr, bor.Jahr, cham., 2gels.Kne, lach.Jahr, lyc., 2nux-m.Kne, nux-v., 2ph-ac.Jahr,
2puls., 2tarent.Kne

MIND; TALK, talking, talks; indisposed to, desire to be silent, taciturn; loquacity, after (1) :
bell.Hahn

MIND; TALK, talking, talks; indisposed to, desire to be silent, taciturn; loud (2) : nux-m.Boe, sil.

MIND; TALK, talking, talks; indisposed to, desire to be silent, taciturn; mortification, after (1) :
2ign.Kne

MIND; TALK, talking, talks; indisposed to, desire to be silent, taciturn; sadness, in (12) : 3**Arg-n**.Kne, 2ars.Jahr, bar-c.Jahr, 2cact.Stau, clem.Hahn, 0ign.Gall, mag-c.Kne, nit-ac.Jahr, 0ph-ac.Gall, 2puls.Kne, stann.Kne, verat.Stau

MIND; TALK, talking, talks; indisposed to, desire to be silent, taciturn; sufferings, about his (1) : ign.Boe

MIND; TALK, talking, talks; indisposed to, desire to be silent, taciturn; waking, on (3) : anac.Jahr, cocc.Jahr, thuj.Kne

MIND; TALK, talking, talks; indisposed to, desire to be silent, taciturn; walking in open air, after (1) : arn.Hahn

MIND; THOUGHTS; vanishing, loss of (174) : 2abies-c.Mang, abies-n.Alle, abrot.Alle, acon.Alle, acon-f.Alle, aeth.Alle, aetherAlle, alum.Kne, am-br.Bog, am-c.Boe, 2ambr.Ken, 2anac.Alle, anag.Alle, androc.Sherr, anh.Step, ant-t.Jahr, apisAlle, apoc., 2arg.Kne, arg-n.Alle, arn.Kne, ars.Hahn, ars-s-f.Ken, arum-t.Alle, arund.Vith, 2asar.Alle, aur.Boer, bapt., bell., berb.Jahr, bor., brom.Alle, 2bry., 2calc.Alle, calc-acet.Boe, calc-p.Alle, calc-s.Alle, 2camph., 2cann-i., 2cann-s., canth., caps.Boer, carb-an., carbn-h.Alle, carc.Step, caust.Alle, cham.Kne, 2chel.Schm, chin.Boe, cic., cinnb.Alle, clem.Alle, cocc.Alle, cod.Alle, coff., coloc.Alle, 3Con.Alle, conin.Alle, corn.Alle, cot.Alle, croc.Boe, cupr., cupr-s.Alle, cycl.Alle, dig.Alle, dirc.Alle, elapsAlle, euon.Alle, ferr.Alle, gad.Alle, 2gels., glon.Alle, glyc.Boer, graph.Alle, guai.Alle, gymn.Alle, hell., hep.Alle, hydr-ac.Alle, hydrog.Sherr, hyos.Alle, iber.Alle, ign.Alle, iod., ip.Hahn, 2juni-c.Mang, kali-bi., kali-br.Boe, kali-c.Alle, kali-cy.Alle, kali-i.Mun, kali-p., kalm.Alle, kiss.Alle, kreos., lac-c., lac-h.Hou, 2lach.Kne, laur.Alle, led.Alle, lepi.Alle, lil-t.Alle, lob.Boe, lol.Alle, 2lyc.Alle, lycps.Alle, lyss.Alle, macrin.Alle, mag-c.Alle, 2manc.Kne, med., 2merc.Alle, 2mez.Hahn, morph.Alle, mosch.Alle, najaAlle, nat-ar.Alle, 3**Nat-c**.Alle, 2nat-m.Alle, nat-s.Kne, 2nit-ac.Alle, 3**Nux-m**.Kne, nux-v.Kne, oena.Alle, ol-an.Alle, olnd.1058, op.Alle, orig.Vith, ovi-g-p.Mang, petr.Alle, ph-ac.Alle, 3**Phos**.Alle, pic-ac.Boer, pin-s.Alle, plan.Alle, plb.Alle, prot.Juli, 2psor., ptel.Alle, 2puls., ran-b.Boe, ran-s.Boe, raph.Alle, rhod., rhodi.Alle, rhus-t.Hahn, rob.Kne, rutaAlle, sabin.Mang, sароth.Mez, sec.Alle, sel.Alle, sep.Alle, sil.Alle, sol-m.Alle, sol-n.Alle, stann.Alle, 0staph.Gall, stram.Alle, sulph., sumb.Alle,

2tab.Stau, 2tax.Mang, tep.Alle, ter.Kne, ther.Kne, 2thuj.Alle, trom.Alle, verat.Bog, verat-v.Alle, viol-o.Kne, yuc.Alle, zinc., zinc-p.Ken

MIND; THOUGHTS; vanishing, loss of; morning (5) : anac.Alle, 2ph-ac.Alle, phos.Alle, stram.Alle, thuj.Alle

MIND; THOUGHTS; vanishing, loss of; morning; alone, when (1) : ph-ac.Alle

MIND; THOUGHTS; vanishing, loss of; morning; rising; on (1) : 2phos.Alle

MIND; THOUGHTS; vanishing, loss of; morning; rising; after (1) : stram.Alle

MIND; THOUGHTS; vanishing, loss of; morning; waking, on (1) : 2thuj.Alle

MIND; THOUGHTS; vanishing, loss of; afternoon (3) : graph.Alle, nat-m.Alle, sep.Alle

MIND; THOUGHTS; vanishing, loss of; evening (7) : 2ign.Kne, lyc.Alle, najaAlle, nat-m.Alle, plan.Alle, rhus-t.Alle, sep.Alle

MIND; THOUGHTS; vanishing, loss of; night (1) : 2staph.Alle

MIND; THOUGHTS; vanishing, loss of; blackness before eyes, with, in paroxysms (1) : 2lach.Kne

MIND; THOUGHTS; vanishing, loss of; chill, during (4) : bell., bry., lach., rhus-t.

MIND; THOUGHTS; vanishing, loss of; closing eyes, on (1) : ther.Kne

MIND; THOUGHTS; vanishing, loss of; company, in (1) : ambr.Ken

MIND; THOUGHTS; vanishing, loss of; dinner, after (3) : ferr.Alle, mag-c.Alle, nat-m.Alle

MIND; THOUGHTS; vanishing, loss of; eating, amel. after (1) : rhus-t.Alle

MIND; THOUGHTS; vanishing, loss of; exertion; on (1) : nit-ac.Alle

MIND; THOUGHTS; vanishing, loss of; exertion; after (1) : nat-m.Alle

MIND; THOUGHTS; vanishing, loss of; fever, during (1) : sep.Alle

MIND; THOUGHTS; vanishing, loss of; fright, after (1) : ambr.Faya

MIND; THOUGHTS; vanishing, loss of; gradual, as if going to sleep (1) : 2asar.Alle

MIND; THOUGHTS; vanishing, loss of; headache, during (7) : 2alum.Kne, apisAlle, bell., calc.Alle, glon.Alle, 2sep.Kne, 2ter.Kne

MIND; THOUGHTS; vanishing, loss of; interrupted, when (3) : berb., mez.Hahn, Ostaph.Gall

MIND; THOUGHTS; vanishing, loss of; mental exertion, on (13) : 2asar., canth., caust., cham., euon.Alle, 2gels., hep., mez., nat-m., 2nit-ac., olnd., ran-b., staph.

MIND; THOUGHTS; vanishing, loss of; motion, on (1) : laur.Alle

MIND; THOUGHTS; vanishing, loss of; periodically (1) : chin.Schm

MIND; THOUGHTS; vanishing, loss of; reading, on (16) : 2anac.Boer, asar.Boer, bry., camph.Boer, 2cann-i., corn.Alle, hyos.Alle, 2lach., lyc.Boer, merc.Alle, 2nux-m.Kne, 2op.Alle, 2ph-ac., pic-ac.Boer, stann.Kne, staph.Boer

MIND; THOUGHTS; vanishing, loss of; rising from stooping, on (1) : ars.Hahn

MIND; THOUGHTS; vanishing, loss of; sermon, during a (1) : anag.Alle

MIND; THOUGHTS; vanishing, loss of; spoken to, when; agg. (1) : sep.

MIND; THOUGHTS; vanishing, loss of; spoken to, when; amel. (1) : ol-an.Alle

MIND; THOUGHTS; vanishing, loss of; standing, while (2) : guai.Alle, rhus-t.

MIND; THOUGHTS; vanishing, loss of; sudden (3) : calc-s.Alle, 2manc.Kne, 2rob.Kne

MIND; THOUGHTS; vanishing, loss of; supper, amel. after (1) : sil.Alle

MIND; THOUGHTS; vanishing, loss of; talking, while (14) : 2anac.Boer, asar.Boer, camph.Boer, 2cann-i., hydrog.Sherr, 2lach., lyc.Boer, med.Ken, 2mez., 2nux-m., pic-ac.Boer, staph.Alle, 2thuj., viol-o.Kne

MIND; THOUGHTS; vanishing, loss of; turning head, on (1) : rhus-t.Hahn

MIND; THOUGHTS; vanishing, loss of; waking, on (6) : chin.Alle, kali-br.Alle, kali-c.Alle, ptel.Alle, sil.Alle, sol-m.Alle

MIND; THOUGHTS; vanishing, loss of; waking, on; full moon, at (1) : sol-m.Alle

MIND; THOUGHTS; vanishing, loss of; work, while at (2) : 2asar.Stau, hep.Alle

MIND; THOUGHTS; vanishing, loss of; writing (12) : 2anac.Boer, asar.Boer, camph.Boer, 2cann-i., croc.Alle, hydrog.Sherr, 2lach., lyc.Boer, 2nux-m., pic-ac.Boer, rhus-t., staph.Boer

MIND; DELIRIUM; wandering (4) : chlol.Alle, 2nat-m.Kne, sec.Kne, sulph.Kne

MIND; TALK, talking, talks; wandering (66) : acon., aeth., 2agar.Mang, 2ambr.Schm, 2anac., ant-c.Jahr, arg.Ken, arg-n.Bog, arn., 2ars., ars-s-f., 2atro.Kne, aur., aur-ar.Ken, 3Bell., 2bov.Mang, 2bry., calc., 2camph., cand-a.Rief, canth., carb-v.Jahr, cham., chin., chin-ar., chin-s.Jahr, cic., cimic.Bog, cina, coff.Mang, coloc., con.Jahr, cupr., dig.1058, dulc., 3Hyos., ign., iod.Jahr, kali-c.,

2kali-p.Kne, 3**Lach.**, 3**Lyc.**, merc., 3**Nux-m.**, nux-v.Kne, onos.Bog, 2op., 2par.Jahr, 2phos., 2plat., plb., podo.Bog, 2puls., rheum, rhod.Jahr, 2rhus-t., sabin., sec., sel.Bog, sep.1058, spong., 3**Stram.**, 2sulph., teucr.Bog, tub.Bog, verat.

MIND; TALK, talking, talks; wandering; afternoon and especially evening (1) : 2nux-v.Kne

MIND; TALK, talking, talks; wandering; night, at (9) : aur., bell., bry., coloc., dig., op., rheum, sep., sulph.

MIND; THOUGHTS; wandering (88) : 2acon., alco.Alle, all-s., 2aloe, am-c., ambr.Stau, anac., ang.Alle, anth., apoc., 2arn., ars-i.Ken, atro.Alle, bamb-a.Schu, 2bapt., bell., calc.1058, cann-i., cann-s., canth.Ken, carbn-s.Alle, caust.Alle, chin-s.Jahr, chlol., choc.Sherr, cic., colch., coloc., conv.Hug, corn., crot-h., cupr., dat-a.Hale,, dig., dulc.Hahn, ery-a.Alle, ferr., gels.Hale,, glon., 2graph., ham.1058, hyos.Boer, ign., iod.,

iris1058, kali-br., lach., lyc., lycps.Alle, manc., merc., merc-c., mit.Alle, naja, nat-c., nat-m., nat-p., nicot.Alle, nit-ac., nux-m.Schm, olnd., op., opun-a.Alle, OozoneSch, peti.Alle, ph-ac., phos.Bog, phys., pic-ac., plat.Alle, plb., plect., 2puls., rauw.Step, sanic., sol-m.Alle, sol-t-ae.Alle, staph., sul-i.Alle, tab., tanac.Hale,, thuj.Bog, valer., viol-o., yuc.Alle, 2zinc., zinc-m.Alle, zinc-p.Ken

MIND; THOUGHTS; wandering; morning (1) : mit.Alle

MIND; THOUGHTS; wandering; afternoon (2) : ang.Alle, atro.Alle

MIND; THOUGHTS; wandering; evening (1) : caust.Alle

MIND; THOUGHTS; wandering; night (2) : bell., zinc-m.Alle

MIND; THOUGHTS; wandering; listening, while (1) : sol-t-ae.Alle

MIND; THOUGHTS; wandering; reading, while (1) : conv.Hug

MIND; THOUGHTS; wandering; sleepiness, from (1) : plat.Alle

MIND; THOUGHTS; wandering; talking, while (2) : merc-c., sanic.Clar

MIND; THOUGHTS; wandering; work, at (1) : sol-t-ae.Alle

MIND; THOUGHTS; wandering; writing, while (2) : iris, 3**Nux-m.**Schm

MIND; MANIA, madness; wandering (1) : verat.Hahn

MIND; APHASIA; inability to articulate without any affection of the tongue (1) : both-l.Clar

MIND; MISTAKES, makes; talking; old people, in (1) : am-c.Ken

MIND; MISTAKES, makes; writing, in; old people, in (2) : am-c.Ken, 2crot-h.Kne

MIND; SADNESS, despondency, depression, melancholy; old people, in (2) : 2aur.Alle, esp-g.Juli

MIND; SLOWNESS; old people, of (6) : cact.Schm, calc.Schm, **3Con.**Schm, 2hell.Schm, 2phos.Schm, zinc.Schm

MIND; WEARY of life; old people, in (2) : aur.Ken, calc.Ken

Total	Lach.	Nux-m.	Anac.	Plat.	Nat-m.	Thuj.	Ph-ac.	Ign.	Sen.	Rhus-t.	Bell.	Lyc.	Phos.	Puls.	Asar.	Calc.	Staph.	Ar.s.	Cann-i.	Con.	Aur.	Zinc.	Nit-ac.	Sulph.	Am-c.	Gels.	Amb.	Mez.	Nux-v.	Op.	Hell.	Bry.	Camph.	Stram.
Rubrics	11	10	10	11	11	11	11	11	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10
Kingdoms	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█
TALK, talking, talks; indisposed to, ... (266)	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█
MIND; FEAR; taciturn, after (1)																																		
MIND; INDIFFERENCE, apathy; taciturn (7)																																		
MIND; IRRITABILITY; taciturn (6)																																		
MIND; JESTING; alternating with; taciturnity (1)																																		
LAUGHING; tendency; alternating with; ... (1)																																		
EXCITEMENT, excitable; tendency; ... (1)																																		
TALK, talking, talks; indisposed to, ... (7)																																		
TALK, talking, talks; indisposed to, ... (1)																																		
TALK, talking, talks; indisposed to, ... (2)																																		
TALK, talking, talks; indisposed to, ... (2)																																		
TALK, talking, talks; indisposed to, ... (3)																																		
TALK, talking, talks; indisposed to, ... (8)																																		
TALK, talking, talks; indisposed to, ... (1)																																		
TALK, talking, talks; indisposed to, ... (5)																																		
TALK, talking, talks; indisposed to, ... (2)																																		

VAGABONDARE

MIND; COMPANY; aversion to, agg.; wandering from place to place (1) : cimic.Kne

MIND; MANIA, madness; wandering (1) : verat.Hahn

MIND; RESTLESSNESS, nervousness; tendency; wandering (15) : 2ars.Vith, bell.Boe, Obry.Gall, 2calc-p.Vith, canth.Boe, 2cedr.Vith, ferr.Lipp, hyos.Boe, iod.Borl, 2lach.Vith, lyss.Phat, 2nux-v.Boe, stann.Boe, 2stram.Boe, verat.Boe

MIND; RESTLESSNESS, nervousness; tendency; wandering; night, from pain (1) : ferr.Lipp

MIND; WANDER; desires to (17) : arag.Boer, 2bry.Boer, calc.Kne, 2calc-p., cench.Ken, choc.Sherr, cimic., elat.Kne, 2kali-br.Kne, lach.Boer, lyss.Bog, merc., sanic.Schm, **3Tub.**Schm, valer.Kne, verat.Kne, verat-v.Boe

MIND; WANDER; desires to; night (2) : 2calc.Kne, 2elat.Kne

MIND; WANDER; amel. mental symptoms (1) : hist.Mez

MIND; WANDER; desires to; home, from, and ranges in woods (1) : 2elat.Kne

MIND; WANDER; desires to; house, about (1) : 2valer.Kne

MIND; WANDER; desires to; place to place, from (3) : calc-p.Stau, sanic.Math, tub.Math

MIND; WANDER; room, up and down (1) : 2hyos.Kne

MIND; HIDE, desire to; old people, in (1) : op.Her

MIND; MEMORY; weakness, loss of; places, for (18) : allox.Step, 0calc.Gall, 0con.Gall, 0crot-c.Gall, 2crot-h.Kne, glon.Kne, 2hep.Stau, 0hydr.Gall, lap-gr-m.Eis, 0lyc.Gall, merc., nux-m., plb.Coll, psor.Kne, 0sil.Gall, 0staph.Gall, 0sulph.Gall, syph.Ken

MIND; MEMORY; weakness, loss of; places, for; location of house in the street, for (1) : 2glon.Kne

MIND; MEMORY; weakness, loss of; places, for; room, does not know his own (1) : psor.Kne

Total	Elat.	Calc-p.	Tub.	Verat.	Glon.	Valer.	Hysos.	Calc.	Lach.	Pae.	Cimic.	Ferr.	Sanic.	Lyss.	Merc.	Crot-h.	Kali-br.	Arag.	Hep.	Cedr.	Stram.	Bry.	Ar.s.	Nux-v.	Hist.	Op.	Allox.	Lap-gr-m.	Choc.	Syph.	Verat-v.	Cinch.	Nux-m.	Canth.			
Rubrics	5	5	4	3	3	3	3	3	3	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	1	1	1	1	1	1	1	1		
Kingdoms	3	3	2	3	2	2	2	2	3	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	1	1	1	1	1	1	1	1	
COMPANY; aversion to, agg.; wandering ... (1)																																					
MIND; MANIA, madness; wandering (1)																																					
RESTLESSNESS, nervousness; tendency; ... (15)																																					
RESTLESSNESS, nervousness; tendency; ... (1)																																					
MIND; WANDER; desires to (17)																																					
MIND; WANDER; desires to; night (2)																																					
MIND; WANDER; amel. mental symptoms (1)																																					
WANDER; desires to; home, from, and ... (1)																																					
MIND; WANDER; desires to; house, about (1)																																					
WANDER; desires to; place to place, from (3)																																					
MIND; WANDER; room, up and down (1)																																					
MIND; HIDE, desire to; old people, in (1)																																					
MEMORY; weakness, loss of; places, for (18)																																					
MEMORY; weakness, loss of; places, for; ... (1)																																					
MEMORY; weakness, loss of; places, for; ... (1)																																					

Capitolo 12

analisi di alcuni rimedi

Hahnemann, fondatore indiscusso dell'omeopatia, afferma nell'Organon: "In ogni stato di malattia lo stato d'animo del paziente costituisce uno dei sintomi più importanti, che va sempre rilevato per poter fare il quadro fedele del male e conseguentemente poterlo guarire con la cura omeopatica. Tal cosa è tanto importante nella scelta del medicamento, che spesso lo stato d'animo del paziente è decisivo, perché rappresenta un sintomo preciso e caratteristico e che meno di qualsiasi altro può sfuggire all'osservazione del medico attento" almeno quanto le sue caratteristiche fisiche per individuare il caso e trovare il simillimum".

Hahnemann, propone una visione medica anti-settorialistica, costituzionalistica, "unicistica", che prevede un approccio clinico unitario, psico-somatico e globale tendente a rispettare concretamente, nella diagnosi e nella terapia, il senso dell'indivisibilità di ogni essere umano.

Detto questo ora esamineremo in modo sintetico alcuni aspetti riguardanti dei rimedi omeopatici importanti della demenza senile, peraltro espressa in molti rimedi, ognuno con le sue caratteristiche peculiari.

Anacardium, aurum iodatum, calcarea phosphorica, calcarea carbonica, conium maculatum, crotalus horridus, hepar sulphuris, phosphoric acidum, phosphorus, secale cornutum, lachesis ed infine il rimedio più classico per molti sintomi degli anziani:

Baryta Carb aiuta coloro che sono regrediti di nuovo al comportamento infantile.

Possono avere paura, essere timidi e schivi e non avere fiducia. C'è perdita di memoria e alcuni pazienti possono soffrire di malattie ghiandolari croniche.

È per la grande debolezza mentale e fisica dell'età avanzata; per quelli che sono sempre stati intellettualmente torpidi. Ha timore specialmente degli estranei, è sospettoso; dimentica ciò che è stato appena detto, appena fatto o ciò che sta per fare o ricevere. Comportamento infantile e insensato. Altre caratteristiche sono cephalgia degli anziani, cataratta, asma negli anziani,

apoplessia e paralisi. È per quelli che si raffreddano facilmente che hanno un calo del desiderio sessuale, grande debolezza degli organi genitali e impotenza. È uno dei rimedi per l'impotenzia degli anziani ed è anche un rimedio per i lipomi. Cura inoltre la disfagia per i cibi solidi e la paresi della lingua.

Natrum sulf può spesso portare sollievo a coloro che si fissano su ferite del passato e su eventi spiacevoli. Possono sentirsi tristi e soli, pieni di autocommiserazione, o non essere in grado di esprimere l'amore che provano per gli altri. Queste persone hanno spesso mal di testa e dolori articolari.

Nux vomica per pazienti che sono spesso arrabbiati, litigiosi e irritabili, in cerca di colpe e insensibili ai sentimenti degli altri, ma essi stessi sono estremamente sensibili a tutto ciò, diventando facilmente feriti e insultati.

Alumina è un ottimo rimedio per coloro che sono depressi e con paura di perdere la propria mente. Sono confusi sulla loro identità ed sperimentano

rapidi cambi di umore. I pazienti sono spesso freddi, stitici, e con azioni e movimenti molto

Per la cura della **DEPRESSIONE** i rimedi più utili si possono trovare tra: *aurum metallicum, kali phosphoricum, selenium, platina, argentum nitricum, nux vomica, psorinum, lycopodium, natrum muriaticum, sulphur*.

Quando si tratta di depressione reattiva per perdita del coniuge, rispondono bene ai rimedi *ignatia amara e natrum muriaticum*, a volte ad *aurum metallicum, causticum o coccus*, specialmente quando il lutto è stato preceduto da un lungo periodo di assistenza.

Natrum muriaticum, naturalmente, è per i pazienti che non riescono a piangere, nascondono il loro dolore e peggiorano se consolati.

Lachesis è un altro rimedio per la depressione in pazienti disorientati riguardo al tempo, per quelli che si svegliano in uno stato delirante, o per quelli che si sbottonano gli abiti, se li tolgono perché non sopportano nessuna costrizione attorno al corpo. Il paziente può rifiutare il rimedio per paura di essere avvelenato, vi può essere delirio loquace, sensazione di essere sotto un controllo sovraumano o follia religiosa.

Per pazienti con **DELIRIO** può essere indicato *Hyoscyamus niger*. È simile a *lachesis* nel delirio loquace, la sospettosità e la confusione, ma i casi di *Hyoscyamus* sono più apertamente maniacali, con una caratteristica tendenza a denudarsi, contorcimenti e soprassalti, stupore alternato ad eccitazione. La mania non è mai così violenta come quando si richiede *stramonium* ma vi è una buona quantità di imprecazioni, canti, discordi osceni, che sono il penoso contrasto con il normale comportamento del paziente.

I pazienti che hanno bisogno di **Sulphur** lo dimostrano esprimendo in modo meno contenuto tendenze che erano sempre presenti, alla sciatteria, alla sporcizia, all'egoismo e talvolta a comportamenti leggermente maniacali. Sono spesso ingordi, incuranti delle buone maniere a tavola, indifferenti all'effetto che il loro comportamento ha sugli altri. È un duro compito far fare loro il bagno! Un 'eruzione cutanea pruriginosa aggravata dal calore del letto, frequenti risvegli notturni e insonnia dopo le quattro del mattino sono sintomi confermatori.

L'anziano che ha bisogno di ***Calcarea carbonica*** a volte è molto stanco mentalmente e si sente incapace di pensare. La mente turbina attorno a banalità che sembrano costringere l'attenzione e così egli perde la sua profondità mentale. Sente di diventare pazzo e immagina che gli altri si accorgano del suo strano comportamento. Parla a se stesso e vede volti chiudendo gli occhi per dormire. Vi è paura del buio, della pazzia, di qualcosa di terribile che sta per accadere e vi è timidezza. Il paziente può cadere in uno stato di tranquilla malinconia.

INSONNIA : è uno dei disturbi più comuni degli anziani. È una sventura che la natura dia agli anziani sempre meno sonno proprio quando la noia e la solitudine portano a desiderarlo di più. Il sonno diminuisce specialmente nell'ultima parte della notte.

Coffea cruda, baryta carbonica, syphilinum e aconitum sono tra i più indicati se non ci sono cause specifiche.

Baryta carb è il rimedio per quelli che sonnecchiano di giorno e di notte ed è il rimedio degli anziani che parlano nel sonno.

DISTURBI NEUROLOGICI Al momento dell'ictus *arnica* è un rimedio estremamente utile con *opium* se è presente anche emorragia.

Per la paralisi che segue l'ictus l'omeopatia ha molto da offrire. Il rimedio più utile, resta *causticum* sebbene consigliato più specificatamente per paralisi del lato destro. Altri fondamentali sono *phosphorus, lachesis, plumbum*

In questo tipo di patologie però oltre ai disturbi determinati dalla sfera emotiva, di gran lunga più importanti, bisogna tenere comunque conto anche dei mali fisici:

UDITO: l'indebolimento dell'udito aumenta con l'età. Anche qui *Baryta carbonica* è il rimedio di prima scelta, altri rimedi indicati sono *cicuta virosa e petroleum*.

APPARATO RESPIRATORIO: la percentuale di incidenza di patologie respiratorie negli anziani è molto elevato. Anche in questo campo l'omeopatia ha molto da offrire anche se gli irreversibili cambiamenti che si sono avuti nell'enfisema non possono essere guariti del tutto. I rimedi restano gli stessi, da *aconitum, belladonna e bryonia* negli stadi iniziali a *carbo veg e ant.tart* in quelli più seri.

Antimonium tartaricum per es accusa improvvisi e allarmanti sintomi di soffocamento, oppressione, respiro corto e ortopnea. Vi è accumulo di muco nel torace con rantoli grossi e crepitanti. Vi è molta debolezza, sonnolenza e mancanza di reazione. Il paziente è coperto di sudore freddo.

Carbo vegetabilis invece viene chiamato "il rianimatore omeopatico di cadaveri". Il suo campo d'azione va dallo scompenso cardiaco alla patologia respiratoria specifica. Ma sia che la fame d'aria sia dovuta a scompenso cardiaco e deficitario trasporto di ossigeno, oppure ad ossigenazione incompleta nei polmoni per cause polmonari, il rimedio è ugualmente importante. Nei toraci acuti il paziente vuole aria fresca intorno a lui e perciò deve essere sventolato. Vi è sudore freddo con respiro freddo, freddezza della bocca e della lingua. Ma con tutta questa freddezza

vi può essere bruciore del petto come da carboni ardenti. L'addome può bruciare e grande sollievo alla dispnea si ha dalle erutazioni e dai flati per quei pazienti che sono collassati. Carbo veg può migliorare molto il loro quadro clinico e per questo ha acquisito la reputazione di rianimatore di cadaveri.

APPARATO DIGERENTE Uno dei sintomi più comuni e fastidiosi è la stitichezza. Molti anziani conducono vita sedentaria. Questo porta ad un indebolimento dei muscoli addominali. La ridotta attività ha per conseguenza un ridotto massaggio dell'intestino che non spingono più il contenuto con l'efficienza di prima. Perciò in aggiunta al rimedio deve essere consigliato esercizio fisico e una giusta idratazione.

Spesso la stitichezza è una conseguenza delle politerapie convenzionali. I rimedi di uso comune sono bryonia alba, *alumina*, *opium*, *baryta carb*, *conium*. Per costipazione alternata a diarrea il rimedio più efficace può essere *antimonium crudum*. Questo rimedio sembra adattarsi a molti sintomi nutrizionali e digestivi degli anziani e anche di quei pazienti che hanno la lingua coperta da una spessa patina bianca che se vi fosse stato applicato uno strato di vernice.

APPARATO URINARIO Minzione frequente, stimolo improvviso, svuotamento a gocce, incontinenza, difficoltà nell'urinare, getto debole, stimolo inefficace e dolore sono alcuni sintomi degli anziani, specialmente uomini. Gli uomini superano le donne nell'incidenza di sintomi urinari e la prostata ingrossata è la condizione più comune che porta a problemi urinari nell'età anziana negli uomini. Il ristagno d'urina può portare infezione e cistite. I rimedi che si sono dimostrati di particolare utilità nella ipertrofia prostatica sono *conium mac*, *baryta carbonica*, *thuya* e *sabal serrulata*.

APPARATO OSTEOARTICOLARE Osteo-artrite è una malattia degenerativa delle articolazioni che risulta come parte naturale dell'invecchiamento ed è un disturbo comune negli anziani. Sebbene i cambiamenti ossei possono non essere reversibili, la cura può portare miglioramento clinico, conferire maggior mobilità, possibilmente riducendo l'infiammazione relativa.

Rhus tox e bryonia continuano ad avere un ruolo fondamentale: con le specifiche modalità di miglioramento e di peggioramento con il movimento. *Calc carb* può essere utilizzato quando il paziente è molto rigido e in genere piuttosto indolente, con dolore aggravato dal freddo, dall'umidità e dallo sforzo muscolare. *causticum* ha modalità opposte a calc *carb*, miglioramento con la pioggia e aggravamento dal vento freddo secco.

Causticum e kali carb sono specifici per i quadri di perdita di elasticità, con rigidità delle articolazioni e dolori erranti. Talvolta come risultato dell'osteoporosi e della fragilità ossea, negli anziani si hanno frequenti fratture

Ma ci sono molti altri rimedi molto utili magari anche meno conosciuti per gli anziani, Helleborus, Ambra, Nux moscata, Belladonna, Conium e altre Apiacee (ex Ombrellifere)

Helleborus

Paracelso lo dava come "elisir di lunga vita", cioè come geriatrico, Helleborus niger, detto in tedesco anche radice nera da starnuto; nella radice di elleboro sono contenuti dei glicosidi cardioattivi, che si avvicinano a quelli della digitale; per questo in passato

Rhizoma Hellebori era usato come medicamento cardiaco. Il nome tedesco Nieswurz (radice starnutatoria) accenna già al fatto che la polvere del rizoma esercita un'azione irritativa locale considerevole, ragione per cui in passato era usata come starnutatorio. Paracelso aveva però scoperto con molta esattezza che le foglie secche di elleboro sono meglio tollerate che non le preparazioni della radice.

Rimedio utile nell'ottundimento e rallentamento di tutte le capacità mentali e sensoriali con malinconia silenziosa negli anziani.

Miglioramento di tutti gli effetti patologici in seguito ad abbondante emissione di urina

Ambra grisea

Tachicardia, spasmi, crampi, insonnia, fragilità dovuta a stress, affaticamento generale, difficoltà nell'affrontare qualsiasi contrattempo, tosse nervosa.

Il rimedio è interessante nel trattamento dell'insonnia, nelle manifestazioni neurovegetative, dovute allo stress nelle tachicardie, negli spasmi e nei crampi.

In questo rimedio predomina la fragilità generale. Da un lato fragilità del tono nervoso e psichico, dell'altro fragilità del tessuto vascolare, dei capillari che sanguinano facilmente.

Nux Moschata

Sonnolenza diurna anomala e irresistibile, confusione mentale e perdita della memoria.

Belladonna

Anticolinergica, antalgica, broncodilatatrice, spasmolitica, antisecretoria, lattofuga.

La belladonna è un rimedio del dolore e dello spasmo. Può essere utile in varie forme di nevralgie (facciale, intercostale, sciatalgica, etc.), ma agisce soprattutto sui dolori spastici della muscolatura involontaria del tratto gastrointestinale, dell'utero e delle vie urinarie. Il

principio attivo più importante è l'atropina. Nella medicina l'uso dell'atropina ha certamente prevalso sull'impiego della pianta. L'atropina e la iosciamina hanno circa la stessa attività farmacologica: sono dei parasimpaticolitici. L'atropina è un inibitore dei recettori muscarinici degli organi periferici innervati dalle fibre post-gangliari del parasimpatico e del sistema nervoso centrale. Agisce attraverso un meccanismo di competizione reversibile con l'acetilcolina a livello dei suoi recettori, producendo effetti parasimpaticolitici.

Conium

Progressivo deterioramento mentale, evidenziato dalla sua incapacità di attività mentale, per sostenere uno sforzo intellettuale e fisico, è indolente, mancano di volontà, lento nel suo modo di essere, in qualità di movimento e del pensiero. Lentezza nella vecchiaia. Apatici, non ha alcun interesse in nulla, indifferente, soprattutto camminare all'aperto e durante la febbre. Confusione, ottusità. Memoria diminuita, soprattutto per le date, non può esprimersi in modo corretto. Sensazione di cervello stanco. L'indebolimento può raggiungere imbecillità mentale. Avversione per il lavoro, la salute fisica e mentale, e le loro occupazioni.

Grande Depressione a volte con pensieri di suicidio.

Iperetrofia e indurimenti ghiandolari o tessuti o linfonodi, Polipi.

Debolezza e paralisi con aumento graduale, a partire nelle gambe, a volte precedute da tremori e convulsioni vertigini. Paralisi muscolare senza spasmi. Particolarmente utile nelle malattie di vecchi scapoli e zitelle in anziani, delle fibre muscolari rigide. Arteriosclerosi. Edema.

Capitolo 13

Conclusioni

Mi sono cimentata in questo lavoro cercando e sperando di capire meglio questa patologia che colpisce sempre più frequentemente la nostra società, così da poter

capire meglio e più profondamente ciò che mio malgrado ha colpito la mia famiglia ma più andavo avanti nello studio ho potuto capire che fino ad oggi esistono solo medicinali che, nel migliore dei casi, rallentano il processo di demenza di Alzheimer.

Una guarigione oggi non è possibile e nemmeno nel prossimo futuro. Anche i maggiori medici geriatrici affermano di non ritenere che "l'enigma possa essere risolta entro i prossimi dieci anni".

Come nel caso di altre malattie croniche la speranza è centrata primariamente sulla prevenzione, sia per mezzo di medicinali che di trattamenti non medicamentosi.

Una speranza maggiore deriva dal fatto di avere la consapevolezza dell'esistenza di tutto un bagaglio di rimedi omeopatici dalle diverse sfaccettature sintomatologiche che può permetterci una terapia sempre più personalizzata, questo è il primo vantaggio, la marcia in più rispetto al principio attivo allopatico. Il secondo vantaggio consiste nella maggior maneggevolezza del rimedio, capace di modulare i sintomi clinici senza aggressioni terapeutiche né effetti collaterali o controindicazioni di sorta.

Qui inizia il lavoro dell'omeopata cercando di riconoscere il rimedio più simile alla condizione della persona, intraprendendo un viaggio profondo conoscitivo del paziente